VOLUME 52 • AUTHOR INDEX

Abel P *see* Wang Q *et al*
Ackroyd R *et al*. Ablation treatment for Barrett oesophagus: what depth of tissue destruction is needed?, **509**
Adachi H *see* Horiuchi M *et al*
Adams EJ *et al*. Comparison of different scoring systems for immunohistochemical staining, **75**
Adams JH *et al*. The neuropathology of the vegetative state after head injury: *leader*, **804**
Agnantis NJ *see* Ioachim EE *et al*
Aitken RJ *see* Young IE *et al*
Ajioka Y *see* Iino H *et al*
Akamatsu T *see* El-Zimaity HMT *et al*
Alafuzoff I *see* Ropponen KM and Alafuzoff I
Alderdice JM *see* McCluggage WG *et al*
Alexander D *see* Markey G *et al*
Alhava EM *see* Ropponen KM *et al*
Al-Jubouri MA *et al*. Hypokalaemic paralysis revealing Sjögren syndrome in an elderly man, **157**
Allan TF *see* Murray ET *et al*
Allison RT *see* Williams DW *et al*
Allison RT. Haematoxylin—from the wood, **527**
Al-Nafussi A *see* Heatley MK and Al-Nafussi A
see Kurian K and Al-Nafussi A
Al-Nafussi AI *see* Reid WA *et al*
Altaras MM *see* Cohen I *et al*
Anderson M *see* Maddox P *et al*
Anderson N *see* Maxwell P *et al*
Andrew AC *see* Comer MT *et al*
André S *see* Pinto AE *et al*
Anthony A. Vascular anatomy in gastrointestinal inflammation, **381**
Archer CB *see* Bower CPR *et al*
Armstrong DJ *see* McCluggage WG *et al*
Armstrong GR *see* Hanson IM and Armstrong GR
Arno J *see* Astall E *et al*
Arora DS *see* Hayat M *et al*
Arora DS *et al*. Lymphocytic venulitis: an unusual association with microscopic colitis, **303**
Asano Y *see* Yoshikawa T *et al*
Ashcroft AJ *see* Follows GA *et al*
Ashton I *see* Curry A *et al*
Asonuma K *see* Yoshikawa T *et al*
Aspinall S *see* Mphahlele MJ *et al*
Astall E *et al*. Granulocytic sarcoma preceding AML M0 and the diagnostic value of CD34, **705**
Aston S *see* Lawson S *et al*
Athanasou NA *see* Pandey R *et al*
see Varanasi SS *et al*
Axon ATR *see* Hida N *et al*
see Lynch DAF *et al*
Azmi FH *see* Hamrock D *et al*

Baak JPA *see* Beliën JAM *et al*
see Meijer GA *et al*
Back W *et al*. Immunolocalisation of β catenin in intestinal polyps of Peutz–Jeghers and juvenile polyposis syndromes, **345**
Bailey E *et al*. Vascular endothelial growth factor mRNA expression in minimal change, membranous, and diabetic nephropathy demonstrated by non-isotopic in situ hybridisation, **735**
Bain BJ *see* Phelan L *et al*
Bain K *see* Phelan L *et al*
Baker L *see* Lawson S *et al*
Baker RW *et al*. The characteristics of false negative cervical smears—implications for the UK cervical cancer screening programme, **358**
Balfour AE *see* Lewis RFM and Balfour AE
Balk AHMM *see* de Leeuw N *et al*
Barbara J *see* Soldan K and Barbara J
Barnes RMR *see* Darroch CJ *et al*
Bartels PH *see* Montironi R *et al*
see Montironi R *et al*
Basso D *et al*. *Helicobacter pylori* non-cytotoxic genotype enhances mucosal gastrin and mast cell tryptase, **210**
Bateman AC *see* Lee AHS *et al*
see Martin HM *et al*
Bath NE *see* Peach HG and Bath NE
Batman PA *see* Dabbagh V *et al*
Bedossa P *see* Ferlicot S *et al*
Beliën JAM *et al*. Fully automated microvessel counting and hot spot selection by image processing of whole tumour sections in invasive breast cancer, **184**
Bellon G *see* Patey M *et al*
Beltrami CA *see* Mea VD *et al*
Ben-Baruch G *see* Liokumovich P *et al*
Benson EM *see* Wong RCW *et al*
Berchuck A *see* Zweemer RP *et al*
Berg DE *see* Crabtree JE *et al*
Berge RLT *see* Dukers DF *et al*
Berry PJ. Intra-alveolar haemorrhage in sudden infant death syndrome: a cause for concern?: *editorial*, **553**
Bessell EM *et al*. Severe hypoglycaemia caused by raised insulin-like growth factor II in disseminated breast cancer, **780**
Bettelli S *see* de Gaetani C *et al*
Beyth Y *see* Cohen I *et al*
Bhalla M *et al*. Misdiagnosis of toxoplasma infection by PCR: fears unfounded, **468**
Biddolph S *see* Furness PN *et al*
see Kennedy MM *et al*
Biden KG *see* Jass JR *et al*
Biffin AHB *see* Burroughs SH *et al*
Birbeck K *see* Martin IG *et al*
Bird AG. Is there life in the formalin fixed neutrophil for ANCA testing? NO!: *editorial*, **403**
Blaauwgeers JLG *see* van Beurden M *et al*
Blackstone BJ *see* Rodgers MR *et al*
Bleyl U *see* Back W *et al*
Boel E *see* Roymans R *et al*
Boi S *see* Mea VD *et al*
Book reviews Anderson SC, Poulsen KB, Cockayne S, Dawson SC. Haematology atlas (CD-ROM), **79**
Askanas V, Serratrice G, Engel W K, *editors*. Inclusion-body myositis and myopathies, **238**
Berry CL. Transplantation pathology, **630**
Bozzo P. Cost-Effective Laboratory Management, **317**
Child JA, Jack AS, Morgan GJ. The Lymphoproliferative Disorders: Handbook of Diagnosis, Investigation and Management, **318**
Churg A, Green F H Y. Pathology of Occupational Lung Disease, **159**
Collier L, Balows A, Sussman M, *editors*. Topley and Wilson's microbiology and microbial infections (CD-ROM), **237**
Crook M. Algorithms in Chemical Pathology, **79**
Dejana E, Corada M. Adhesion protein protocols, **933**
Diebold J, le Tourneau A, Audouin J, Molina T. Atlas of Pathology: Spleen (CD-ROM), **238**
Epstein JI, Agarwar-Antal N, Danner D, Ruska KM. The Johns Hopkins atlas of surgical pathology, **710**
Ghadially F N. Diagnostic Ultrastructural Pathology, **317**
Goldin R D, Thomas H C, Gerber M A. Pathology of Viral Hepatitis, **159**
Golding R D, Thomas H C, Gerber M A, *editors*. Pathology of Viral Hepatitis, **239**
Got C, *editor*. Atlas of Pathology: Leukaemias, **319**
Hermanek P, Hutter R V P, Sobin L H, Wagner G, Wittekind C, *editors*. TNM Atlas: Illustrated Guide to the TNM/pTNM Classification of Malignant Tumours, **239**
Herzberg AJ, Raso DS, Silverman JF. Color atlas of normal cytology, **932**
Hirsch MC. InterBRAIN: Topographical Anatomy of the Human CNS, **319**
Hoffbrand AV, Lewis SM, Tuddenham EGD. Postgraduate haematology, **932**
Isner JM, Kearney M. Atherosclerosis. Pathology of the vasculature in live patients, **789**
Jass JR. Understanding pathology: from disease mechanisms to clinical practice, **870**
Kini SR. Color atlas of differential diagnosis in exfoliative and aspiration cytopathology, **629**
Koliatsos VE, Ratan RR. Cell death and diseases of the nervous system, **630**
Leong AS-Y, Cooper K, Leong FJW-M. Manual of Diagnostic Antibodies for Immunohistology., **550**
Little CD, Mironov V, Sage EH. Vascular Morphogenesis: In Vivo, In Vitro, In Mente, **479**
MacDonald TT. Mucosal T cells., **630**
Mackiewicz A, Sehgal BP. Molecular Aspects of Cancer and its Therapy., **479**
Marsan C, Bergemer A-M, Grippari JL, Molinie V. Atlas of Pathology: Gynecologic Cytopathology—Cervix (CD-ROM), **478**
Oliver R T D, Coptcoat M J. Bladder cancer: cancer surveys, **159**
Paddock SW. Confocal microscopy: methods and protocols, **790**
Pardridge W M, *editor*. Introduction to the blood-brain barrier: methodology, biology and pathology, **238**
Paul S, *editor*. Autoimmune Reactions, **318**
Peeling RW, Sparling PF. Sexually Transmitted Diseases: Methods and Protocols, **318**
Polak JM, McGee J O'D. In-situ hybridization—principles and practice, **709**
Raeburn D, Giembycz M. Molecular biology of the lung, asthma and cancer, **709**
Raeburn D, Giembycz M. Molecular biology of the lung, vol 1: emphysema and infection, **709**
Ridley CM, Neill SM. The vulva, **933**

VOLUME 52 • AUTHOR INDEX

Abel P *see* Wang Q *et al*
Ackroyd R *et al*. Ablation treatment for Barrett oesophagus: what depth of tissue destruction is needed?, **509**
Adachi H *see* Horiuchi M *et al*
Adams EJ *et al*. Comparison of different scoring systems for immunohistochemical staining, **75**
Adams JH *et al*. The neuropathology of the vegetative state after head injury: *leader*, **804**
Agnantis NJ *see* Ioachim EE *et al*
Aitken RJ *see* Young IE *et al*
Ajioka Y *see* Iino H *et al*
Akamatsu T *see* El-Zimaity HMT *et al*
Alafuzoff I *see* Ropponen KM and Alafuzoff I
Alderdice JM *see* McCluggage WG *et al*
Alexander D *see* Markey G *et al*
Alhava EM *see* Ropponen KM *et al*
Al-Jubouri MA *et al*. Hypokalaemic paralysis revealing Sjögren syndrome in an elderly man, **157**
Allan TF *see* Murray ET *et al*
Allison RT *see* Williams DW *et al*
Allison RT. Haematoxylin—from the wood, **527**
Al-Nafussi A *see* Heatley MK and Al-Nafussi A
see Kurian K and Al-Nafussi A
Al-Nafussi AI *see* Reid WA *et al*
Altaras MM *see* Cohen I *et al*
Anderson M *see* Maddox P *et al*
Anderson N *see* Maxwell P *et al*
Andrew AC *see* Comer MT *et al*
André S *see* Pinto AE *et al*
Anthony A. Vascular anatomy in gastrointestinal inflammation, **381**
Archer CB *see* Bower CPR *et al*
Armstrong DJ *see* McCluggage WG *et al*
Armstrong GR *see* Hanson IM and Armstrong GR
Arno J *see* Astall E *et al*
Arora DS *see* Hayat M *et al*
Arora DS *et al*. Lymphocytic venulitis: an unusual association with microscopic colitis, **303**
Asano Y *see* Yoshikawa T *et al*
Ashcroft AJ *see* Follows GA *et al*
Ashton I *see* Curry A *et al*
Asonuma K *see* Yoshikawa T *et al*
Aspinall S *see* Mphahlele MJ *et al*
Astall E *et al*. Granulocytic sarcoma preceding AML M0 and the diagnostic value of CD34, **705**
Aston S *see* Lawson S *et al*
Athanasou NA *see* Pandey R *et al*
see Varanasi SS *et al*
Axon ATR *see* Hida N *et al*
see Lynch DAF *et al*
Azmi FH *see* Hamrock D *et al*

Baak JPA *see* Beliën JAM *et al*
see Meijer GA *et al*
Back W *et al*. Immunolocalisation of β catenin in intestinal polyps of Peutz–Jeghers and juvenile polyposis syndromes, **345**
Bailey E *et al*. Vascular endothelial growth factor mRNA expression in minimal change, membranous, and diabetic nephropathy demonstrated by non-isotopic in situ hybridisation, **735**
Bain BJ *see* Phelan L *et al*
Bain K *see* Phelan L *et al*
Baker L *see* Lawson S *et al*
Baker RW *et al*. The characteristics of false negative cervical smears—implications for the UK cervical cancer screening programme, **358**
Balfour AE *see* Lewis RFM and Balfour AE
Balk AHMM *see* de Leeuw N *et al*
Barbara J *see* Soldan K and Barbara J
Barnes RMR *see* Darroch CJ *et al*
Bartels PH *see* Montironi R *et al*
see Montironi R *et al*
Basso D *et al*. *Helicobacter pylori* non-cytotoxic genotype enhances mucosal gastrin and mast cell tryptase, **210**
Bateman AC *see* Lee AHS *et al*
see Martin HM *et al*
Bath NE *see* Peach HG and Bath NE
Batman PA *see* Dabbagh V *et al*
Bedossa P *see* Ferlicot S *et al*
Beliën JAM *et al*. Fully automated microvessel counting and hot spot selection by image processing of whole tumour sections in invasive breast cancer, **184**
Bellon G *see* Patey M *et al*
Beltrami CA *see* Mea VD *et al*
Ben-Baruch G *see* Liokumovich P *et al*
Benson EM *see* Wong RCW *et al*
Berchuck A *see* Zweemer RP *et al*
Berg DE *see* Crabtree JE *et al*
Berge RLT *see* Dukers DF *et al*
Berry PJ. Intra-alveolar haemorrhage in sudden infant death syndrome: a cause for concern?: *editorial*, **553**
Bessell EM *et al*. Severe hypoglycaemia caused by raised insulin-like growth factor II in disseminated breast cancer, **780**
Bettelli S *see* de Gaetani C *et al*
Beyth Y *see* Cohen I *et al*
Bhalla M *et al*. Misdiagnosis of toxoplasma infection by PCR: fears unfounded, **468**
Biddolph S *see* Furness PN *et al*
see Kennedy MM *et al*
Biden KG *see* Jass JR *et al*
Biffin AHB *see* Burroughs SH *et al*
Birbeck K *see* Martin IG *et al*
Bird AG. Is there life in the formalin fixed neutrophil for ANCA testing? NO!: *editorial*, **403**
Blaauwgeers JLG *see* van Beurden M *et al*
Blackstone BJ *see* Rodgers MR *et al*
Bleyl U *see* Back W *et al*
Boel E *see* Roymans R *et al*
Boi S *see* Mea VD *et al*
Book reviews Anderson SC, Poulsen KB, Cockayne S, Dawson SC. Haematology atlas (CD-ROM), **79**
Askanas V, Serratrice G, Engel W K, *editors*. Inclusion-body myositis and myopathies, **238**
Berry CL. Transplantation pathology, **630**
Bozzo P. Cost-Effective Laboratory Management, **317**
Child JA, Jack AS, Morgan GJ. The Lymphoproliferative Disorders: Handbook of Diagnosis, Investigation and Management, **318**
Churg A, Green F H Y. Pathology of Occupational Lung Disease, **159**
Collier L, Balows A, Sussman M, *editors*. Topley and Wilson's microbiology and microbial infections (CD-ROM), **237**
Crook M. Algorithms in Chemical Pathology, **79**
Dejana E, Corada M. Adhesion protein protocols, **933**
Diebold J, le Tourneau A, Audouin J, Molina T. Atlas of Pathology: Spleen (CD-ROM), **238**
Epstein JI, Agarwar-Antal N, Danner D, Ruska KM. The Johns Hopkins atlas of surgical pathology, **710**
Ghadially F N. Diagnostic Ultrastructural Pathology, **317**
Goldin R D, Thomas H C, Gerber M A. Pathology of Viral Hepatitis, **159**
Golding R D, Thomas H C, Gerber M A, *editors*. Pathology of Viral Hepatitis, **239**
Got C, *editor*. Atlas of Pathology: Leukaemias, **319**
Hermanek P, Hutter R V P, Sobin L H, Wagner G, Wittekind C, *editors*. TNM Atlas: Illustrated Guide to the TNM/pTNM Classification of Malignant Tumours, **239**
Herzberg AJ, Raso DS, Silverman JF. Color atlas of normal cytology, **932**
Hirsch MC. InterBRAIN: Topographical Anatomy of the Human CNS, **319**
Hoffbrand AV, Lewis SM, Tuddenham EGD. Postgraduate haematology, **932**
Isner JM, Kearney M. Atherosclerosis. Pathology of the vasculature in live patients, **789**
Jass JR. Understanding pathology: from disease mechanisms to clinical practice, **870**
Kini SR. Color atlas of differential diagnosis in exfoliative and aspiration cytopathology, **629**
Koliatsos VE, Ratan RR. Cell death and diseases of the nervous system, **630**
Leong AS-Y, Cooper K, Leong FJW-M. Manual of Diagnostic Antibodies for Immunohistology., **550**
Little CD, Mironov V, Sage EH. Vascular Morphogenesis: In Vivo, In Vitro, In Mente, **479**
MacDonald TT. Mucosal T cells., **630**
Mackiewicz A, Sehgal BP. Molecular Aspects of Cancer and its Therapy., **479**
Marsan C, Bergemer A-M, Grippari JL, Molinie V. Atlas of Pathology: Gynecologic Cytopathology—Cervix (CD-ROM), **478**
Oliver R T D, Coptcoat M J. Bladder cancer: cancer surveys, **159**
Paddock SW. Confocal microscopy: methods and protocols, **790**
Pardridge W M, *editor*. Introduction to the blood-brain barrier: methodology, biology and pathology, **238**
Paul S, *editor*. Autoimmune Reactions, **318**
Peeling RW, Sparling PF. Sexually Transmitted Diseases: Methods and Protocols, **318**
Polak JM, McGee J O'D. In-situ hybridization—principles and practice, **709**
Raeburn D, Giembycz M. Molecular biology of the lung, asthma and cancer, **709**
Raeburn D, Giembycz M. Molecular biology of the lung, vol 1: emphysema and infection, **709**
Ridley CM, Neill SM. The vulva, **933**

Ross DW. Introduction to oncogenes and molecular cancer medicine, **789**
Russell AD, Hugo WB, Ayliffe GAJ. Principles and practice of disinfection, preservation and sterilization, **933**
Schröder JM. Fatty acids and inflammatory disease, **933**
Silverberg SS, DeLellis RA, Frable WJ, *editors*. Principles and Practice of Surgical Pathology and Cytopathology, **318**
University of Washington. Urinalysis—Tutor (CD-ROM), **79**
Viellefond A, Bastien H, Billerey C, Berger N, Bouvier R, Cochand-Priollet B, Dauge-Geffroy M-C, Fontanière B. Atlas of pathology: urological pathology, **790**
WHO. The prothrombin time., **630**
Wu A H B, *editor*. Cardiac Markers, **317**
Wu G Y, Israel J, *editors*. Diseases of the Liver and Bile Duct: Diagnosis and Treatment, **317**

Botha RJP, Wessels E. Cryptococcal meningitis in an HIV negative patient with systemic sarcoidosis, **928**
Bottomley MJ *see* Bailey E *et al*
Boulay CD. Continuing professional development: some new perspectives: *leader*, **162**
Bovée JVMG *see* van Roggen JFG *et al*
Bower CPR *et al*. Cutaneous *Scedosporium apiospermum* infection in an immunocompromised patient, **846**
Bravo JC, Correa P. Sulphomucins favour adhesion of *Helicobacter pylori* to metaplastic gastric mucosa, **137**
Braye S *see* Millar EKA *et al*
Brenchley PEC *see* Bailey E *et al*
Breuer J *see* Harwood CA *et al*
Breuker IM *see* Verweij PE *et al*
Briceno I *see* Varanasi SS *et al*
Brigato L *see* Basso D *et al*
Brisco MJ *see* Neoh S-H *et al*
Brissot P *see* Imbert-Bismut F *et al*
Broomhead V *see* Chowdhury SMZ *et al*
see Spickett GP and Broomhead V
Brown NJ *see* Ackroyd R *et al*
Brown TJ *et al*. Evaluation of three commercial detection systems for *Mycobacterium tuberculosis* where clinical diagnosis is difficult, **193**
Browne G *see* Dabbagh V *et al*
Brulez HFH *et al*. Mononuclear leucocyte function tests in the assessment of the biocompatibility of peritoneal dialysis fluids, **901**
Bruno MJ *see* Chen X-Y *et al*
Bryden A *see* Curry A *et al*
Bullimore J *see* Spickett GP *et al*
Bulmer JN *see* Wongweragiat S *et al*
Bunn C *see* Jolles S *et al*
Burnie JP *see* Golbang N *et al*
Burroughs SH *et al*. Oesophageal and gastric cancer pathology reporting: a regional audit, **435**
Butcher PD *see* Lee PYC *et al*
Byers RJ *et al*. Differential patterns of altered bone formation in different bone compartments in established osteoporosis, **23**

Caforio ALP *see* de Leeuw N *et al*
Campanati A *see* Offidani A and Campanati A
Campbell CK *see* Bower CPR *et al*
Campbell D *see* Walker D and Campbell D
Carman WF *see* Mphahlele MJ *et al*
Carter N *see* Sampson H *et al*
see Yukawa N *et al*
Cataldi P *see* Mea VD *et al*
Cattaneo C *et al*. Prevalence of HIV and hepatitis C markers among a cadaver population in Milan, **267**
Chan PKS *et al*. Detection of human herpesviruses 6 and 7 genomic sequences in brain tumours, **620**
Chang B *see* Mayall F *et al*
Chang G *see* Harris A *et al*
Chang W-Y *see* Yu M-L *et al*
Chaplin AJ. The use of histological techniques for the demonstration of ion exchange resins, **776**
Charlotte F *see* Imbert-Bismut F *et al*
Cheesbrough J *see* Curry A *et al*
Chen S-C *see* Yu M-L *et al*
Chen X-Y *et al*. Interobserver variation in the histopathological scoring of *Helicobacter pylori* related gastritis, **612**
Cheng AFB *see* Chan PKS *et al*
Chetty R, Pillay SV. Coexistent gastric MALT lymphoma and Kaposi sarcoma in an HIV positive patient, **313**
Cheung ANY *et al*. Telomerase activity in gestational trophoblastic disease, **588**
Chisholm M *see* Lwaleed BA *et al*
Chowdhury SMZ *et al*. Pitfalls of formalin fixation for determination of antineutrophil cytoplasmic antibodies, **475**
Chuang W-L *see* Yu M-L *et al*
Cimbal A-K *see* Kampf G *et al*
Clark AH *see* Adams EJ *et al*
Clarke AMT *see* Lynch DAF *et al*
Clode FE *et al*. Evaluation of three oligonucleotide primer sets in PCR for the identification of *Burkholderia cepacia* and their differentiation from *Burkholderia gladioli*, **173**

Cohen I *et al*. Endometrial pathology in postmenopausal tamoxifen treatment: comparison between gynaecologically symptomatic and asymptomatic breast cancer patients, **278**
Coia JE *see* Shaw R *et al*
Cole PJ *see* Kerr JR *et al*
Coleman DV *see* Baker RW *et al*
Comer MT *et al*. Application of a marker of ciliated epithelial cells to gynaecological pathology, **355**
Cordoba M *see* Cohen I *et al*
Correa P *see* Bravo JC and Correa P
Corsaro D *et al*. Molecular epidemiology of ocular isolates of adenovirus 8 obtained over nine years, **860**
Covert TC *see* Rodgers MR *et al*
Crabtree JE *see* Hida N *et al*
Crabtree JE *et al*. Modulation of *Helicobacter pylori* induced interleukin-8 synthesis in gastric epithelial cells mediated by cag PAI encoded VirD4 homologue, **653**
Cross SS *see* Start RD and Cross SS
Cross SS, Shousha S. Breast carcinomas in patients on HRT: *letter*, **478**
Cruickshank SM *et al*. Expression of CD44 on bile ducts in primary sclerosing cholangitis and primary biliary cirrhosis, **730**
Cserni G. Metastases in axillary sentinel lymph nodes in breast cancer as detected by intensive histopathological work up, **922**
The reliability of sampling three to six nodes for staging breast cancer, **681**
Cubitt WD *see* Parker SP and Cubitt WD
Cummings MC *see* Jass JR *et al*
Curry A *et al*. A rationalised virological electron microscope specimen testing policy, **471**
Cutts SG *see* Martin IG *et al*

Dabbagh V *et al*. Granulocytic sarcoma of the rectum: a rare complication of myelodysplasia, **865**
D'Ambrosio E *see* Falchetti ML *et al*
Dargent JL *et al*. Development of a calcifying fibrous pseudotumour within a lesion of Castleman disease, hyaline-vascular subtype, **547**
Dargère D *see* Ferlicot S *et al*
Darroch CJ *et al*. Circulating antibodies to *Saccharomyces cerevisiae* (bakers'/brewers' yeast) in gastrointestinal disease, **47**
da Silva VD *see* Montironi R *et al*
Datta HK *see* Varanasi SS *et al*
Davidson B *see* Liokumovich P *et al*
Dawson J *see* Darroch CJ *et al*
Deacock S *see* Jolles S *et al*
de Craen AJM *see* van Beurden M *et al*
de Gaetani C *et al*. Detection of human papillomavirus DNA in urinary bladder carcinoma by in situ hybridisation, **103**
de Jong JS *see* Beliën JAM *et al*
de Jonge N *see* de Leeuw N *et al*
de Kraker NW *see* van Beurden M *et al*
Delattre J *see* Imbert-Bismut F *et al*
de Leeuw N *et al*. Autoimmune markers are undetectable in end stage idiopathic dilated cardiomyopathy, **739**
Delemer B *see* Patey M *et al*
Delplace J *see* Dargent JL *et al*
Denton J *see* Byers RJ *et al*
de Roos A *see* van Roggen JFG *et al*
de Rosa G *see* Troncone G *et al*
Deugnier Y *see* Imbert-Bismut F *et al*
de Vet HCW *see* van Beurden M *et al*
Dickinson AM *see* Sviland L and Dickinson AM
Dillner J *see* Jacobs MV *et al*
di Mario F *see* Basso D *et al*
Dixon MF *see* Hayat M *et al*
see Hida N *et al*
see Lynch DAF *et al*
Dobbins BM *et al*. Diagnosis of central venous catheter related sepsis—a critical look inside: *leader*, **165**
Dodson AR *see* Khan MS *et al*
Donker AJM *see* Brulez HFH *et al*
Donnelly C *see* Tong CYW *et al*
Drake S *see* Taylor S *et al*
Drakoulakis E *see* Pandey R *et al*
Drillenburg P *see* van Beurden M *et al*
Drobniewski FA *et al*. A national audit of the laboratory diagnosis of tuberculosis and other mycobacterial diseases within the United Kingdom: *leader*, **334**
Duggan MA *see* Scurry J and Duggan MA
Dukers DF *et al*. A cytotoxic phenotype does not predict clinical outcome in anaplastic large cell lymphomas, **129**

Ellis IO *see* Bessell EM *et al*
Ellis PK *see* McCluggage WG *et al*
see McCluggage WG *et al*
El-Zimaity HMT *et al*. A reliable method for the simultaneous identification of *H pylori* and gastric metaplasia in the duodenum, **914**
Modified Genta triple stain for identifying *Helicobacter pylori*, **693**
Endisch U *see* Nindl I *et al*
Enzan H *see* Nakayama H *et al*

Esiri MM *see* Turner HE *et al*
Eskelinen MJ *see* Ropponen KM *et al*
European Neuroblastoma Study Group *see* Reid MM *et al*
Evans DJ *see* Lloyd J *et al*

Fairweather S *see* Mayall F *et al*
Falchetti ML *et al*. Telomerase expression in intracranial tumours: prognostic potential for malignant gliomas and meningiomas, **234**
Fall CHD *see* Wong YK *et al*
Fang D-C *et al*. Infrequent loss of heterozygosity of APC/MCC and DCC genes in gastric cancer showing DNA microsatellite instability, **504**
Feehally J *see* Bailey E *et al*
Fegan CD *see* Lawson S *et al*
Ferlicot S *et al*. Detection of telomerase in hepatocellular carcinomas using a PCR ELISA assay: comparison with hTR expression, **725**
Ferrari G *see* de Gaetani C *et al*
Ferrari P *see* de Gaetani C *et al*
Fewster J *see* Gillespie T *et al*
Finato N *see* Mea VD *et al*
Firgaira FA *see* Neoh S-H *et al*
Fischer R *see* Thiele J *et al*
Fitzmaurice DA *see* Hobbs FDR *et al*
see Murray ET *et al*
Flanagan AM *see* Lloyd J *et al*
Flens MJ *see* Meijer GA *et al*
Flex D *see* Cohen I *et al*
Follows GA *et al*. Eosinophilic myelodysplasia transforming to acute lymphoblastic leukaemia, **388**
Forslund O *see* Jacobs MV *et al*
Foster H *see* Markey G *et al*
Fox A *see* Curry A *et al*
Francis JL *see* Lwaleed BA *et al*
Freemont AJ *see* Byers RJ *et al*
French GL *see* Brown TJ *et al*
Frost JA *see* Thwaites RT and Frost JA
Fujishima M *see* Miyamoto T *et al*
Fujiwaki R *et al*. Thymidine phosphorylase expression in progression of cervical cancer: correlation with microvessel count, proliferating cell nuclear antigen, and apoptosis, **598**
Fulcher DA *see* Wong RCW *et al*
Furness PN *see* Bailey E *et al*
Furness PN *et al*. Colonic angiodysplasia: *letter*, **237**
Furukawa H *see* Yoshikawa T *et al*

Gala J-L *see* O'Briain DS *et al*
Galama JMD *see* de Leeuw N *et al*
Gallee MPW *see* van Beurden M *et al*
Galloway JH, Marsh ID. Detection of drug misuse—an addictive challenge., **713**
Gama R *et al*. Proinsulin and insulin responses to a mixed meal in hypertriglyceridaemic men, **627**
Garstin WIH *see* Kennedy RJ *et al*
Gerbasio D *see* Troncone G *et al*
Gillespie T *et al*. The effect of specimen processing delay on borate urine preservation, **95**
Gillis D *see* Harris A *et al*
Golanov A *see* Korshunov A *et al*
Golbang N *et al*. A polymerase chain reaction enzyme immunoassay for diagnosing infection caused by *Aspergillus fumigatus*, **419**
Goldberg I *see* Liokumovich P *et al*
Gordon MY. Biological consequences of the BCR/ABL fusion gene in humans and mice: *leader*, **719**
Gotlieb WH *see* Liokumovich P *et al*
Goussia AC *see* Ioachim EE *et al*
Graham DI *see* Adams JH *et al*
Graham DY *see* El-Zimaity HMT *et al*
see El-Zimaity HMT *et al*
see Yamaoka Y *et al*
Grandi M *see* Cattaneo C *et al*
Gray N *see* Womack C *et al*
Gray N *et al*. Supplying commercial biomedical companies from a human tissue bank in an NHS hospital—a view from personal experience, **254**
Gray S *see* Martin IG *et al*
Green JA *see* Adams EJ *et al*
Green MA *see* Yukawa N *et al*
Greschniok A *see* Kröber SM *et al*
Griffiths DFR *et al*. Workload measurement in histopathology: *letter*, **398**
Griffiths RD *see* Al-Jubouri MA *et al*
Guiducci A *see* Mastronardi L *et al*
Guiver M *see* Curry A *et al*
Gunning WT *see* Hamrock D *et al*
Gut JP *see* Corsaro D *et al*

Hagari Y *see* Miyamoto T *et al*
Hallworth MJ *see* Jones TJ and Hallworth MJ
Hampton S *see* Gama R *et al*
Hamrock D *et al*. Infection by *Rhodococcus equi* in a patient with AIDS: histological appearance mimicking Whipple's disease and *Mycobacterium avium-intracellulare* infection, **68**
Hanby A *see* Maddox P *et al*
Hanley J *see* Baker RW *et al*
Hanson IM, Armstrong GR. Anal intraepithelial neoplasia in an inflammatory cloacogenic polyp, **393**
Harach HR *see* Kitching PA *et al*
Harper SJ *see* Bailey E *et al*
Harris A *et al*. ELISA is the superior method for detecting antineutrophil cytoplasmic antibodies in the diagnosis of systemic necrotising vasculitis, **670**
Harris C *see* Al-Jubouri MA *et al*
Harvey G *see* Tong CYW *et al*
Harwood CA *et al*. Human papillomavirus and the development of non-melanoma skin cancer: *leader*, **249**
Hata K *see* Fujiwaki R *et al*
Hayashi Y *see* Horiuchi M *et al*
Hayat M *et al*. The pattern of involvement of the gastric mucosa in lymphocytic gastritis is predictive of the presence of duodenal pathology, **815**
Haye B *see* Patey M *et al*
Hayes D *see* Dukers DF *et al*
Heard S *see* Holzel H *et al*
Heatley MK *see* Khan MS *et al*
Heatley MK. A comparison of three methods of orienting cervical punch biopsies, **149**
Cytokeratin 10/13, 14, 7, 8, and 18 in invasive squamous cell carcinoma and adenocarcinoma of the uterine cervix: *letter*, **789**
Follow up of women with borderline cervical smears as defined by national guidelines, **787**
Heatley MK, Al-Nafussi A. Cervical intraepithelial glandular neoplasia: *letter*, **550**
Hida N *et al*. Increased expression of IL-10 and IL-12 (p40) mRNA in *Helicobacter pylori* infected gastric mucosa: relation to bacterial cag status and peptic ulceration, **658**
Hirvikoski P *et al*. Downregulation of p21/WAF1 is related to advanced and dedifferentiated laryngeal squamous cell carcinoma, **440**
Hobbs FDR *see* Murray ET *et al*
Hobbs FDR *et al*. Is the international normalised ratio (INR) reliable? A trial of comparative measurements in hospital laboratory and primary care settings, **494**
Hogendoorn PCW *see* van Roggen JFG *et al*
see van Roggen JFG *et al*
Högmo A *et al*. Predictive value of malignancy grading systems, DNA content, p53, and angiogenesis for stage I tongue carcinomas, **35**
Høiby N *see* Kerr JR *et al*
Holder J *see* Drobniewski FA *et al*
Holder R *see* Hobbs FDR *et al*
Holliman RE *see* Bhalla M *et al*
see Lee PYC *et al*
Holliman RE, Johnson JD. Cross contamination of blood cultures associated with a multiple use venting device, **231**
Holzel H. : *editorial*
Holzel H *et al*. Continuing professional development: is the future *Pathology Interactive*?: *editorial*, **401**
Horiuchi M *et al*. Possible involvement of IL-12 expression by Epstein-Barr virus in Sjögren syndrome, **833**
Horny H-P *see* Kröber SM *et al*
see Toth B *et al*
Howard MR *see* Wooster SL *et al*
Howe PA *see* Simpson AJH *et al*
Howell WM *see* Lee AHS *et al*
Howells DD *see* Kennedy MM *et al*
Hoyland JA *see* Byers RJ *et al*
Hsieh M-Y *see* Yu M-L *et al*
Hudson MM. Rights of possession in human corpses: *letter*, **317**
Huijgens PC *et al*. Fluconazole versus itraconazole for the prevention of fungal infections in haemato-oncology, **376**

Ihira M *see* Yoshikawa T *et al*
Iida K *see* Fujiwaki R *et al*
Iida M *see* Matsumoto T *et al*
Iijima T *see* Shitoh K *et al*
Iino H *et al*. DNA microsatellite instability in hyperplastic polyps, serrated adenomas, and mixed polyps: a mild mutator pathway for colorectal cancer?, **5**
Imbert-Bismut F *et al*. Low hepatic iron concentration: evaluation of two complementary methods, colorimetric assay and iron histological scoring, **430**
Inoue H *see* Horiuchi M *et al*
Ioachim EE *et al*. Prognostic evaluation of metallothionein expression in human colorectal neoplasms, **876**
Irwin ST *see* McCluggage WG *et al*
Ishii J *see* Horiuchi M *et al*
Ismail SM. Gynaecological effects of tamoxifen: *leader*, **83**
Iwasaki T *see* Yoshikawa T *et al*

Jack SJ *see* Gray N *et al*
see Womack C *et al*

Jackson G *see* Patel NR and Jackson G
Jackson P *see* Lynch DAF *et al*
Jacobs IJ *see* Zweemer RP *et al*
Jacobs MV *et al*. Reliable high risk HPV DNA testing by polymerase chain reaction: an intermethod and intramethod comparison, **498**
Jacobson G *see* Mayall FG *et al*
Jain D *see* Sridevi D *et al*
Jamison J *see* Maxwell P *et al*
Jansz A *see* Roymans R *et al*
Jaspars LH *see* Dukers DF *et al*
Jass JR *see* Fang D-C *et al*
see Iino H *et al*
Jass JR *et al*. Characterisation of a subtype of colorectal cancer combining features of the suppressor and mild mutator pathways, **455**
Jenne D *see* Back W *et al*
Jennett B *see* Adams JH *et al*
Johansson B *see* Jacobs MV *et al*
Johansson RT *see* Hirvikoski P *et al*
Johnson A *see* Sampson H *et al*
Johnson JD *see* Bhalla M *et al*
see Holliman RE and Johnson JD
Johnson SJ *et al*. KU activity: *letter*, **78**
Jolles S *et al*. Atypical C-ANCA following high dose intravenous immunoglobulin, **177**
Jolobe OMP. PCR to detect *M tuberculosis*: *letter*, **399**
Jones RDG *see* Stewart AJ and Jones RDG
Jones S *see* Al-Jubouri MA *et al*
Jones TJ, Hallworth MJ. Postmortem prolactin as a marker of antemortem stress, **749**
Jonkhoff AR *see* Huijgens PC *et al*
Joshi K *see* Sridevi D *et al*
Jury C *see* Phelan L *et al*

Kaiserling E *see* Kröber SM *et al*
see Toth B *et al*
Kampf G *et al*. Evaluation of the BBL Crystal MRSA ID System for detection of oxacillin resistance in *Staphylococcus aureus*, **225**
Kanazawa K *see* Shitoh K *et al*
Kanzaki A *see* Sadahira Y *et al*
Kappas AM *see* Ioachim EE *et al*
Karim A *see* Keen CE and Karim A
Kashima K *see* Yamaoka Y *et al*
Kate FJWT *see* Chen X-Y *et al*
see van Beurden M *et al*
Kaufmann ME *see* Clode FE *et al*
Kaur B *et al*. The possible role of hypoxia in the formation of axonal bulbs, **203**
Kay MS *see* Griffiths DFR *et al*
see Johnson SJ *et al*
Keen CE, Karim A. Pseudoglandular formations in clot sections from fine needle aspirates—an artefact caused by bubble formation during aspiration, **532**
Kellokoski JK *see* Hirvikoski P *et al*
Kendall MJ *see* Wong NACS *et al*
Kenemans P *see* Zweemer RP *et al*
Kennedy MM *et al*. Cyclin D1 expression and HHV8 in Kaposi sarcoma, **569**
Kennedy RJ *et al*. An unusual presentation of systemic mastocytosis, **301**
Keown M *see* Poller L *et al*
Kerr JR *et al*. *Pseudomonas aeruginosa* pyocyanin and 1-hydroxyphenazine inhibit fungal growth, **385**
Kersulyte D *see* Crabtree JE *et al*
Khalil L *see* Imbert-Bismut F *et al*
Khan MS *et al*. Ki-67, oestrogen receptor, and progesterone receptor proteins in the human *rete ovarii* and in endometriosis, **517**
Kinchington D. Recent advances in antiviral therapy: *leader*, **89**
Kirby RS *see* Young MPA *et al*
Kitada S *see* Miyamoto T *et al*
Kitching PA *et al*. Adrenocortical oncocytoma, **151**
Kite P *see* Dobbins BM *et al*
Ko KH *et al*. A latex slide agglutination test for rapid detection of antimyeloperoxidase antibody, **770**
Kobayashi T *see* Miyamoto T *et al*
Kodama T *see* Yamaoka Y *et al*
Koike M *see* Fujiwaki R *et al*
Komminoth P *see* Richter T *et al*
Konishi F *see* Shitoh K *et al*
Kopolovic J *see* Liokumovich P *et al*
Korshunov A *et al*. Prognostic value of tumour associated antigen immunoreactivity and apoptosis in cerebral glioblastomas: an analysis of 168 cases, **574**
Kosma V-M *see* Hirvikoski P *et al*
see Ropponen KM *et al*
Kowolik J *see* Richter T *et al*
Kröber SM *et al*. Reactive and neoplastic lymphocytes in human bone marrow: morphological, immunohistological, and molecular biological investigations on biopsy specimens, **521**
Kuhne-Heid R *see* Nindl I *et al*
Kumpulainen EJ *see* Hirvikoski P *et al*
Kurata T *see* Yoshikawa T *et al*
Kurian K, Al-Nafussi A. Relation of cervical glandular intraepithelial neoplasia to microinvasive and invasive adenocarcinoma of the uterine cervix: a study of 121 cases, **112**
Kuylenstierna R *see* Högmo A *et al*
Kvasnicka HM *see* Thiele J *et al*

Lagendijk JH *et al*. Immunohistochemical differentiation between primary adenocarcinomas of the ovary and ovarian metastases of colonic and breast origin. Comparison between a statistical and an intuitive approach, **283**
Laget JP *see* Dargent JL *et al*
Lai R *see* Saddik M and Lai R
Lalani E-N *see* Wang Q *et al*
Lam KY. Oesophageal mesenchymal tumours: clinicopathological features and absence of Epstein-Barr virus, **758**
Lammes FB *see* van Beurden M *et al*
Lamonby S *see* Willis P *et al*
Laniado M *see* Wang Q *et al*
Larocca LM *see* Falchetti ML *et al*
Lawson S *et al*. Trained nurses can obtain satisfactory bone marrow aspirates and trephine biopsies, **154**
Lawton JWM *see* Ko KH *et al*
Leadbeatter S *see* Vanezis P and Leadbeatter S
le Charpentier Y *see* Imbert-Bismut F *et al*
Lecke C *see* Kampf G *et al*
Lee AHS *et al*. HLA class II DRB1 and DQB1 allelic polymorphism and sclerosing lymphocytic lobulitis of the breast, **445**
Lee PYC *et al*. Quantitation of *Toxoplasma gondii* DNA in a competitive nested polymerase chain reaction, **61**
Lee SS *see* Ko KH *et al*
Leese HJ *see* Comer MT *et al*
le Faou A *see* Corsaro D *et al*
Leggett B *see* Iino H *et al*
Leggett BA *see* Jass JR *et al*
Lespagnard L *see* Dargent JL *et al*
Lewis MAO *see* Williams DW *et al*
Lewis RFM, Balfour AE. Group C streptococci isolated from throat swabs: a laboratory and clinical study, **264**
Li SD *see* Crabtree JE *et al*
Liberati F *see* Mastronardi L *et al*
Lin Z-Y *see* Yu M-L *et al*
Lindholm J *see* Högmo A *et al*
Lindley IJD *see* Crabtree JE *et al*
Liokumovich P *et al*. Expression of metalloproteinases endometrial stromal sarcoma: immunohistochemical study using image analysis, **198**
Lipponen PK *see* Ropponen KM *et al*
Liu Y *see* Cheung ANY *et al*
Lloyd J *et al*. Extension of extramammary Paget disease of the vulva to the cervix, **538**
Lloyd-Jones D *see* Winder AF *et al*
Lock RJ *et al*. IgA anti-tissue transglutaminase as a diagnostic marker of gluten sensitive enteropathy, **274**
Immunofluorescent patterns associated with ANCA: *letter*, **237**
Loff S *see* Back W *et al*
Longman RJ *see* Thomas MG *et al*
Lorand-Metze I *see* Metze K and Lorand-Metze I
Lotz B *see* Nindl I *et al*
Loudon KW *see* Wooster SL *et al*
Lucas SB *see* Kennedy MM *et al*
Luo Y-H *see* Fang D-C *et al*
Luttich K *see* Kennedy MM *et al*
Lwaleed BA *et al*. Development and validation of an assay for urinary tissue factor activity, **219**
Lynch DAF *see* Willis P *et al*
Lynch DAF *et al*. Correlation between epithelial cell proliferation and histological grading in gastric mucosa, **367**
Lyons MM *see* Sam WIC *et al*

McCluggage WG *et al*. Polypoid uterine lesions mimicking endometrial stromal sarcoma, **543**
Small intestinal ulceration secondary to carcinoid tumour arising in a Meckel's diverticulum, **72**
Systemic vasculitis and aneurysm formation in the Wiskott-Aldrich syndrome, **390**
McCluskey DR *see* McCluggage WG *et al*
McConnell L *see* McCluggage WG *et al*
McGee JO'D *see* Kennedy MM *et al*
McGregor JM *see* Harwood CA *et al*
Machera M *see* Ioachim EE *et al*
McLaughlin JR *see* Zweemer RP *et al*
McLean SAM. Legal and ethical aspects of the vegetative state: *leader*, **490**
McLellan DR *see* Adams JH *et al*
Macmillan R *see* Al-Jubouri MA *et al*
McMullin MF. The molecular basis of disorders of red cell enzymes: *leader*, **241**
The molecular basis of disorders of the red cell membrane: *leader*, **245**
McNulty CAM, Wyatt JI. *Helicobacter pylori*, **338**

Maddox P *et al.* Differential expression of keratins 10, 17, and 19 in normal cervical epithelium, cervical intraepithelial neoplasia, and cervical carcinoma, **41**
Maede Y *see* Fujiwaki R *et al*
Magee JG *see* Drobniewski FA *et al*
Mahadeva R *et al.* Metastatic endometrial stromal sarcoma masquerading as pulmonary lymphangioleiomyomatosis, **147**
Mahmood T *see* Arora DS *et al*
Mahony C *see* Wang Q *et al*
Maira G *see* Mastronardi L *et al*
Makiyama M *see* Miyamoto T *et al*
Malnick H *see* Clode FE *et al*
Manabe T *see* Matsumoto T *et al*
Mangan J *see* Lee PYC *et al*
Mannion P *see* Curry A *et al*
Mapstone NP *see* Lynch DAF *et al*
Marcus R *see* Astall E *et al*
Markey G *et al.* Bouin's fixed trephine biopsies: *letter*, **79**
Marks V *see* Gama R *et al*
Marsh ID *see* Galloway JH and Marsh ID
Marshall JR *see* Montironi R *et al*
Martin HM *et al.* Calcium oxalate (Weddellite) crystals within ductal carcinoma in situ: *letter*, **932**
Martin IG *et al.* Expression of the 17-1A antigen in gastric and gastro-oesophageal junction adenocarcinomas: a potential immunotherapeutic target?, **701**
Martin L *see* Curry A *et al*
Martiny L *see* Patey M *et al*
Masterton RG *see* Gillespie T *et al*
Mastronardi L *et al.* Ki-67 labelling index and invasiveness among anterior pituitary adenomas: analysis of 103 cases using the MIB-1 monoclonal antibody, **107**
Matsumoto T *et al.* Clinicopathological features of serrated adenoma of the colorectum: comparison with traditional adenoma, **513**
Matthews RC *see* Golbang N *et al*
Maxwell P *et al.* Use of alcohol fixed cytospins protected by 10% polyethylene glycol in immunocytology external quality assurance, **141**
Maxwell RJ *see* McCluggage WG *et al*
Mayall F *et al.* Microsatellite abnormalities in plasma of patients with breast carcinoma: concordance with the primary tumour, **363**
Mayall FG *et al.* Mutations of p53 gene and SV40 sequences in asbestos associated and non-asbestos-associated mesotheliomas, **291**
Mazzucchelli R *see* Montironi R *et al*
see Montironi R *et al*
Mea VD *et al.* Image sampling in static telepathology for frozen section diagnosis, **761**
Meijer CJLM *see* Dukers DF *et al*
see Jacobs MV *et al*
see Lagendijk JH *et al*
Meijer GA *see* Lagendijk JH *et al*
Meijer GA *et al.* Increased expression of multidrug resistance related proteins Pgp, MRP1, and LRP/MVP occurs early in colorectal carcinogenesis, **450**
Meis JFGM *see* Verweij PE *et al*
Melchers WJG *see* de Leeuw N *et al*
Meltzer SJ *see* Jass JR *et al*
Menko FH *see* Zweemer RP *et al*
Metze K, Lorand-Metze I. Methods for analysing AgNORs: *letter*, **550**
Meuwissen SGM *see* Meijer GA *et al*
Meyer T *see* Jacobs MV *et al*
Michalides RJAM. Cell cycle regulators: mechanisms and their role in aetiology, prognosis, and treatment of cancer: *leader*, **555**
Michie J *see* Shaw R *et al*
Migaldi M *see* de Gaetani C *et al*
Mihara M *see* Miyamoto T *et al*
Millar EKA *et al.* CD10 positive thyroid marginal zone non-Hodgkin lymphoma, **849**
Miller K *see* Maxwell P *et al*
Milligan DW *see* Lawson S *et al*
Milroy CJ *et al.* Reporting basal cell carcinoma: a survey of the attitudes of histopathologists, **867**
Miseré JFMM *see* Dukers DF *et al*
Miyaki M *see* Shitoh K *et al*
Miyamoto T *et al.* Monoclonality of infiltrating plasma cells in primary pulmonary nodular amyloidosis: detection with polymerase chain reaction, **464**
Miyazaki E *see* Nakayama H *et al*
Miyazaki K *see* Fujiwaki R *et al*
Mizuno F *see* Horiuchi M *et al*
Mizuno M *see* Matsumoto T *et al*
Moayyedi P *see* Lynch DAF *et al*
Molendini LO *see* Cattaneo C *et al*
Monges G *see* Ferlicot S *et al*
Montironi R *et al.* Immunohistochemical expression of π class glutathione S-transferase in the basal cell layer of benign prostate tissue following chronic treatment with finasteride, **350**
Prostate cancer prevention: review of target populations, pathological biomarkers, and chemopreventive agents: *leader*, **793**
Morgan L *see* Gama R *et al*
Morgan-Capner P *see* Curry A *et al*
Morley AA *see* Neoh S-H *et al*
Morreau J *see* van Roggen JFG *et al*
Mphahlele MJ *et al.* Age related prevalence of hepatitis G virus in South Africans, **752**
Mullink H *see* Lagendijk JH *et al*
Munck-Wikland E *see* Högmo A *et al*
Murphy C *see* O'Briain DS *et al*
Murray ET *see* Hobbs FDR *et al*
Murray ET *et al.* A primary care evaluation of three near patient coagulometers, **842**
Murray LS *see* Adams JH *et al*
Mutton K *see* Curry A *et al*

Nagata Y *see* Horiuchi M *et al*
Nagler A *see* Nagler RM *et al*
Nagler RM *et al.* Histopathological study of the human submandibular gland in graft versus host disease, **395**
Nagy Z *see* Turner HE *et al*
Nährig J *see* Richter T *et al*
Nakayama H *et al.* Differential expression of high molecular weight caldesmon in colorectal pericryptal fibroblasts and tumour stroma, **785**
Narod SA *see* Zweemer RP *et al*
Navaglia F *see* Basso D *et al*
Nawroz IM *see* Young IE *et al*
Neoh S-H *et al.* Rapid detection of the factor V Leiden (1691G>A) and haemochromatosis (845G>A) mutation by fluorescence resonance energy transfer (FRET) and real time PCR, **766**
Neville P *see* Hida N *et al*
Newcomb P *see* Thomas MG *et al*
Ng HK *see* Chan PKS *et al*
Ngan HYS *see* Cheung ANY *et al*
Nicholls R *see* Mayall F *et al*
Nindl I *see* Jacobs MV *et al*
Nindl I *et al.* Distribution of 14 high risk HPV types in cervical intraepithelial neoplasia detected by a non-radioactive general primer PCR mediated enzyme immunoassay, **17**
Noone M. Laboratory diagnosis of vaginal discharge (ACP Broadsheet No 153): *letter*, **629**
Norris F *see* Gama R *et al*
Nuttall PA *see* Cattaneo C *et al*

O'Briain DS *et al.* L26 (CD20) staining of Bouin fixed bone marrow biopsies: *letter*, **931**
O'Donnell E *see* Hamrock D *et al*
O'Donoghue EPN *see* Young MPA *et al*
Offerhaus GJA *see* van Roggen JFG *et al*
Offidani A, Campanati A. Papillary hidradenoma: immunohistochemical analysis of steroid receptor profile with a focus on apocrine differentiation, **829**
Ohdaira T *see* Shitoh K *et al*
O'Leary JJ *see* Kennedy MM *et al*
O'Mahony S *see* Hayat M *et al*
Onland G *see* Roymans R *et al*
Ono M *see* Horiuchi M *et al*
Opolon P *see* Imbert-Bismut F *et al*
Orfila J *see* Wong YK *et al*
Ossenkoppele GJ *see* Dukers DF *et al*
see Huijgens PC *et al*
Ostrowski J *see* Drobniewski FA *et al*
O'Sullivan JP *see* Baker RW *et al*
Oudejans JJ *see* Dukers DF *et al*
Owen JS *see* Winder AF *et al*
Owen RG *see* Follows GA *et al*
Oxley JD *see* Bower CPR *et al*

Pallini R *see* Falchetti ML *et al*
Palma PD *see* Mea VD *et al*
Palombini L *see* Troncone G *et al*
Pandey R *et al.* An assessment of the histological criteria used to diagnose infection in hip revision arthroplasty tissues, **118**
Papiha SS *see* Varanasi SS *et al*
Paradis V *see* Ferlicot S *et al*
Parapia LA *see* Dabbagh V *et al*
see Follows GA *et al*
Parker SP, Cubitt WD. The use of the dried blood spot sample in epidemiological studies: *leader*, **633**
Parkinson MC *see* Young MPA *et al*
Patel NR, Jackson G. Serum markers in myocardial infarction: *leader*, **409**
Patel V *see* Kitching PA *et al*
Patey M *et al.* Immunohistochemical study of thrombospondin and its receptors αvβ3 and CD36 in normal thyroid and in thyroid tumours, **895**
Patterson AH *see* Maxwell P *et al*
Peach HG, Bath NE. Post-test probability that men in the community with raised plasma ferritin concentrations are hazardous drinkers, **853**
Pellegrinelli M *see* Cattaneo C *et al*
Perel E *see* Cohen I *et al*

Pfister H *see* Jacobs MV *et al*
Phelan L *et al*. An analysis of relative costs and potential benefits of different policies for antenatal screening for β thalassaemia trait and variant haemoglobins, **697**
Philips ER *see* Hamrock D *et al*
Picton S *see* Kennedy MM *et al*
Pillay D *see* Taylor S *et al*
Pillay SV *see* Chetty R and Pillay SV
Pinto AE *et al*. Short term significance of DNA ploidy and cell proliferation in breast carcinoma: a multivariate analysis of prognostic markers in a series of 308 patients, **604**
Pitcher MCL *see* Lock RJ *et al*
Piton A *see* Imbert-Bismut F *et al*
Pitt TL *see* Clode FE *et al*
Plebani M *see* Basso D *et al*
Pluot M *see* Patey M *et al*
Poller L *et al*. The effects of freeze drying and freeze drying additives on the prothrombin time and the international sensitivity index, **744**
Pollock W, Toh B-H. Routine immunofluorescence detection of Ro/SS-A autoantibody using HEp-2 cells transfected with human 60 kDa Ro/SS-A, **684**
Pomante R *see* Montironi R *et al*
Ponder BAJ *see* Zweemer RP *et al*
Potts AJC *see* Williams DW *et al*
Powell S *see* Wang Q *et al*
Power EGM *see* Brown TJ *et al*
Poynard T *see* Imbert-Bismut F *et al*
Prentice MB. Antimicrobial prescribing: *leader*, **874**
Prescott R *see* Willis P *et al*
Price JJ *see* Dabbagh V *et al*
Pringle JH *see* Bailey E *et al*
Pritchard PH *see* Winder AF *et al*
Proby CM *see* Harwood CA *et al*
Pronin I *see* Korshunov A *et al*
Prooy E *see* Huijgens PC *et al*
Pulford K *see* Dukers DF *et al*
Puzzilli F *see* Mastronardi L *et al*
Pye JK *see* Burroughs SH *et al*

Quint W *see* Roymans R *et al*
Quirke P *see* Lynch DAF *et al*
see Martin IG *et al*

Rebello G *see* Reid WA *et al*
Reder I *see* Liokumovich P *et al*
Reed MWR *see* Ackroyd R *et al*
Reid MM *et al*. Deterioration in performance in obtaining bone marrow trephine biopsy cores from children, **851**
Reid WA *et al*. Effect of using templates on the information included in histopathology reports on specimens of uterine cervix taken by loop excision of the transformation zone, **825**
Renard JN *see* Horiuchi M *et al*
Reyes AL *see* Rodgers MR *et al*
Richman PI *see* Milroy CJ *et al*
Richter T *et al*. Protocol for ultrarapid immunostaining of frozen sections, **461**
Righi E *see* de Gaetani C *et al*
Rijs AJMM *see* Verweij PE *et al*
Risch H *see* Zweemer RP *et al*
Roald B *see* Reid MM *et al*
Rodgers MR *et al*. Colonisation of point of use water filters by silver resistant non-tuberculous mycobacteria: *letter*, **629**
Roper D *see* Phelan L *et al*
Roper JL *see* Hobbs FDR *et al*
Ropponen KM, Alafuzoff I. A case of sudden death caused by fibromuscular dysplasia, **541**
Ropponen KM *et al*. Reduced expression of α catenin is associated with poor prognosis in colorectal carcinoma, **10**
Rose PE *see* Hobbs FDR *et al*
Roskell D *see* Furness PN *et al*
Roufosse C *see* Dargent JL *et al*
Roymans R *et al*. Evaluation of an in-house polymerase chain reaction for detection of *Neisseria gonorrhoeae* in urogenital samples, **411**
Ruden H *see* Kampf G *et al*
Rugge M *see* Basso D *et al*
Ruiter DJ *see* de Leeuw N *et al*
Rutman A *see* Kerr JR *et al*
Rutty G *see* Sampson H *et al*
see Yukawa N *et al*
Rutty GN *see* Kaur B *et al*
Ryan A *see* Zweemer RP *et al*

Sadahira Y *et al*. Immunohistochemical identification of erythroid precursors in paraffin embedded bone marrow sections: spectrin is a superior marker to glycophorin, **919**
Saddik M, Lai R. CD44s as a surrogate marker for distinguishing intraductal papilloma from papillary carcinoma of the breast, **862**
Saito I *see* Horiuchi M *et al*
Sakai K *see* Shitoh K *et al*
Sam WIC *et al*. Increasing rates of ciprofloxacin resistant campylobacter: *letter*, **709**
Sampson H *et al*. Information before coronial necropsy: how much should be available?, **856**
Sanders R *see* Milroy CJ *et al*
Sandoe JAT *see* Wooster SL *et al*
Sasieni P *see* Maddox P *et al*
Saunders P *see* Spickett GP *et al*
Savige J *see* Lock RJ *et al*
Savige JA *see* Wong RCW *et al*
Savva D *see* Bhalla M *et al*
Scheiff J-M *see* O'Briain DS *et al*
Scheper RJ *see* Meijer GA *et al*
Schneider A *see* Nindl I *et al*
Schoch E *see* Jass JR *et al*
Schroeijers AB *see* Meijer GA *et al*
Scoffield JL *see* Kennedy RJ *et al*
Scurry J, Duggan MA. Malignant mesothelioma eight years after a diagnosis of atypical mesothelial hyperplasia, **535**
Searle I *see* Jass JR *et al*
Searle RF *see* Wongweragiat S *et al*
Selby C *see* Bessell EM *et al*
Selby PJ *see* Cruickshank SM *et al*
Selim A-GA, Wells CA. Immunohistochemical localisation of androgen receptor in apocrine metaplasia and apocrine adenosis of the breast: relation to oestrogen and progesterone receptors, **838**
Shaw PA *see* Zweemer RP *et al*
Shaw R *et al*. Use of bar code readers and programmable keypads to improve the speed and accuracy of manual data entry in the clinical microbiology laboratory: experience of two laboratories, **54**
Sheffield EA *see* Wong NACS *et al*
Shen DH *see* Cheung ANY *et al*
Shepherd SA *see* Poller L *et al*
Sherman Y *see* Nagler RM *et al*
Shiach CR *see* Poller L *et al*
Shimizu M *see* Matsumoto T *et al*
Shimoyama Jr T *see* Hida N *et al*
Shimoyama Sr T *see* Hida N *et al*
Shitoh K *et al*. A novel case of a sporadic desmoid tumour with mutation of the β catenin gene, **695**
Shousha S *see* Cross SS and Shousha S
Sillis M *see* Tong CYW *et al*
Silva I *see* Kennedy MM *et al*
Silvestrini R *see* Jolles S *et al*
Silvestrini RA *see* Wong RCW *et al*
Simms LA *see* Iino H *et al*
see Jass JR *et al*
Simoons-Smit AM *see* Huijgens PC *et al*
Simpson AJH *et al*. A comparison of lysis centrifugation, pour plate, and conventional blood culture methods in the diagnosis of septicaemic melioidosis, **616**
Singh N, Theaker JM. Calcium oxalate crystals (Weddellite) within the secretions of ductal carcinoma in situ—a rare phenomenon, **145**
Sloan JM *see* McCluggage WG *et al*
Smith EG *see* Drobniewski FA *et al*
Smith S *see* Spickett GP *et al*
Snijders PJF *see* Jacobs MV *et al*
Snijders SV *see* Brulez HFH *et al*
Soares J *see* Pinto AE *et al*
Sokol RJ *see* Cattaneo C *et al*
Soldan K, Barbara J. The risks of infection transmission by blood transfusion in England: *leader*, **405**
Somi S *see* Beliën JAM *et al*
Southgate J *see* Comer MT *et al*
see Cruickshank SM *et al*
Spencer A *see* Millar EKA *et al*
Spera C *see* Mastronardi L *et al*
Spickett GP *see* Chowdhury SMZ *et al*
Spickett GP, Broomhead V. How to test for antineutrophil cytoplasmic antibodies—evidence based immunology?: *editorial*, **81**
Spickett GP *et al*. Northern Region asplenia register—analysis of first two years, **424**
Spooner R *see* Mphahlele MJ *et al*
Sridevi D *et al*. Intraglomerular metastasis: a necropsy study, **307**
Stamp GWH *see* Wang Q *et al*
Start RD *see* Suvarna SK *et al*
Start RD, Cross SS. Pathological investigation of deaths following surgery, anaesthesia, and medical procedures, **640**
Stehbens WE, Weller RO. Misconceptions of the pathology of intracranial arterial aneurysms: *letter*, **708**
Stephenson TJ *see* Ackroyd R *et al*
Stewart AJ, Jones RDG. Pseudo-Gaucher cells in myelodysplasia, **917**
Stewart S *see* Mahadeva R *et al*
Stockfleth E *see* Jacobs MV *et al*
Stoddard CJ *see* Ackroyd R *et al*
Strand A *see* Jacobs MV *et al*

Struthers JK *see* Wooster SL *et al*
Sueur JM *see* Wong YK *et al*
Suga S *see* Yoshikawa T *et al*
Suvarna K *see* Griffiths DFR *et al*
Suvarna SK *see* Johnson SJ *et al*
Suvarna SK *et al*. A prospective audit of pacemaker function, implant lifetime, and cause of death in the patient, **677**
Suzuki K *see* Yoshikawa T *et al*
Sviland L, Dickinson AM. A human skin explant model for predicting graft-versus-host disease following bone marrow transplantation, **910**
Sycheva R *see* Korshunov A *et al*
Sylvester PA *see* Thomas MG *et al*
Szarewski A *see* Maddox P *et al*

Tabeart S *see* Poller L *et al*
Tanaka K *see* Yoshikawa T *et al*
Tayler DI *see* Suvarna SK *et al*
Taylor GW *see* Kerr JR *et al*
Taylor S *et al*. Genital herpes, "the new paradigm", **1**
Taylor-Robinson D *see* Wong Y *et al*
Tepper R *see* Cohen I *et al*
Theaker JM *see* Lee AHS *et al*
see Martin HM *et al*
see Singh N and Theaker JM
Thiele J *et al*. Focal lymphoid aggregates (nodules) in bone marrow biopsies: differentiation between benign hyperplasia and malignant lymphoma—a practical guideline, **294**
Thomas BJ *see* Wong Y *et al*
Thomas MG *et al*. Vitamin D receptor expression in colorectal cancer, **181**
Thompson D *see* Montironi R *et al*
Thwaites RT, Frost JA. Drug resistance in *Campylobacter jejuni*, *C coli*, and *C lari* isolated from humans in North West England and Wales, 1997, **812**
Timperley WR *see* Kaur B *et al*
Toh B-H *see* Pollock W and Toh B-H
Tong CYW *et al*. Multiplex polymerase chain reaction for the simultaneous detection of *Mycoplasma pneumoniae*, *Chlamydia pneumoniae*, and *Chlamydia psittaci* in respiratory samples, **257**
Toth B *et al*. Immunophenotyping of acute lymphoblastic leukaemia in routinely processed bone marrow biopsy specimens, **688**
Trainor KJ *see* Neoh S-H *et al*
Trejdosiewicz LK *see* Comer MT *et al*
see Cruickshank SM *et al*
Trentini GP *see* de Gaetani C *et al*
Troncone G *et al*. Cyclin dependent kinase inhibitor $p27^{Kip1}$ expression in normal and neoplastic cervical epithelium, **880**
Tsao SW *see* Cheung ANY *et al*
Tsianos EV *see* Ioachim EE *et al*
Turlin B *see* Imbert-Bismut F *et al*
Turnbull W *see* Jolles S *et al*
Turner DR *see* Neoh S-H *et al*
Turner HE *et al*. The enhanced peroxidase one step method increases sensitivity for detection of Ki-67 in pituitary tumours, **624**
Turner SJ *see* Lee AHS *et al*
Tytgat GNJ *see* Chen X-Y *et al*

Uhlmann V *see* Kennedy MM *et al*
Unsworth DJ *see* Lock RJ *et al*
see Lock RJ *et al*

Vadas M *see* Harris A *et al*
Vallance DT *see* Winder AF *et al*
van Beurden M *et al*. The contribution of MIB 1 in the accurate grading of vulvar intraepithelial neoplasia, **820**
van der Ende A *see* Chen X-Y *et al*
van der Hulst RWM *see* Chen X-Y *et al*
van der Valk P *see* Meijer GA *et al*
van Diest PJ *see* Beliën JAM *et al*
see Holzel H *et al*
see Lagendijk JH *et al*
van Diest PJ. Histopathological workup of sentinel lymph nodes: how much is enough?: *editorial*, **871**
Vanezis P, Leadbeatter S. Next of kin clinics: a new role for the pathologist, **723**
van Loenen AC *see* Huijgens PC *et al*
van Roggen JFG *et al*. Adenocarcinoma arising within a tailgut cyst: clinicopathological description and follow up of an unusual case, **310**
Diagnostic and prognostic implications of the unfolding molecular biology of bone and soft tissue tumours: *leader*, **481**
van Tinteren H *see* Huijgens PC *et al*
Varanasi SS *et al*. Association of HLA-DRB1 alleles with giant cell tumour of bone, **782**
Vasishta RK *see* Sridevi D *et al*
Vaught L *see* Montironi R *et al*
Venard V *see* Corsaro D *et al*
Verbrugh HA *see* Brulez HFH *et al*
Verheijen RMH *see* Zweemer RP *et al*
Verna R *see* Falchetti ML *et al*
Verweij PE *et al*. Comparative study of seven commercial yeast identification systems, **271**
Vetrani A *see* Troncone G *et al*
Virtaniemi JA *see* Hirvikoski P *et al*
von Knebel Doeberitz M *see* Jacobs MV *et al*
Voorhorst FJ *see* Jacobs MV *et al*

Wada H *see* Sadahira Y *et al*
Wadehra V *see* Johnson SJ *et al*
Wadell G *see* Jacobs MV *et al*
Waghorn DJ *see* Sam WIC *et al*
Walboomers JMM *see* Jacobs MV *et al*
Waldron S *see* Millar EKA *et al*
Walker D, Campbell D. A survey of infections in United Kingdom laboratories, 1994–1995, **415**
Walker R *see* Williams DW *et al*
Wallis J *see* Spickett GP *et al*
Wallwork J *see* Mahadeva R *et al*
Walsh M *see* Jass JR *et al*
Walsh MY *see* McCluggage WG *et al*
Wang D-X *see* Fang D-C *et al*
Wang L-Y *see* Yu M-L *et al*
Wang Q *et al*. Correlation between androgen receptor expression and FGF8 mRNA levels in patients with prostate cancer and benign prostatic hypertrophy, **29**
Ward M *see* Jolles S *et al*
Ward ME *see* Wong Y *et al*
see Wong YK *et al*
Warren B *see* Furness PN *et al*
Wass JAH *see* Turner HE *et al*
Watanabe H *see* Iino H *et al*
Watt B *see* Drobniewski FA *et al*
Waxman J *see* Wang Q *et al*
Wee PMT *see* Brulez HFH *et al*
Wehrmann M *see* Toth B *et al*
Weist K *see* Kampf G *et al*
Weller RO *see* Stehbens WE and Weller RO
Wells CA *see* Selim A-GA and Wells CA
Welvaart K *see* van Roggen JFG *et al*
Werner M *see* Richter T *et al*
Wessels E *see* Botha RJP and Wessels E
Westwell A *see* Curry A *et al*
Westwell S *see* Bailey E *et al*
White NJ *see* Simpson AJH *et al*
White P *see* Jolles S *et al*
see Winder AF *et al*
Wilcox MH *see* Dobbins BM *et al*
Wilkins R *see* Mayall F *et al*
see Mayall FG *et al*
Wilkinson R *see* Chowdhury SMZ *et al*
Willemze R *see* Dukers DF *et al*
Williams ARW *see* Reid WA *et al*
Williams DW *et al*. Adherence of *Candida albicans* to oral epithelial cells differentiated by Papanicolaou staining, **529**
Williams GT *see* Burroughs SH *et al*
Williams R *see* Drobniewski FA *et al*
Willis P *et al*. Cell proliferation in the post-surgical stomach, dietary salt, and the effect of *H pylori* eradication, **665**
Willott J *see* Wong NACS *et al*
Wilson GD *see* Milroy CJ *et al*
Wilson R *see* Kerr JR *et al*
Winder AF *et al*. A first British case of fish-eye disease presenting at age 75 years: a double heterozygote for defined and new mutations affecting LCAT structure and expression, **228**
Womack C *see* Gray N *et al*
Womack C *et al*. Tissue banks in NHS histopathology laboratories and the Consensus Statement: *letter*, **708**
Wong NACS *et al*. Measurement of vascularity as a diagnostic and prognostic tool for well differentiated thyroid tumours: comparison of different methods of assessing vascularity, **593**
Wong RCW *et al*. Diagnostic value of classical and atypical antineutrophil cytoplasmic antibody (ANCA) immunofluorescence patterns, **124**
Wong WM, Wright NA. Cell proliferation in gastrointestinal mucosa: *leader*, **321**
Wong Y *et al*. *Chlamydia pneumoniae* and atherosclerosis: *letter*, **398**
Wong YK *et al*. The species specificity of the microimmunofluorescence antibody test and comparisons with a time resolved fluoroscopic immunoassay for measuring IgG antibodies against *Chlamydia pneumoniae* , **99**
Wongweragiat S *et al*. Decidual T lymphocyte activation in hydatidiform mole, **888**
Wooster SL *et al*. Review of the clinical activity of medical microbiologists in a teaching hospital, **773**
Wray R *see* Winder AF *et al*
Wright C *see* Jass JR *et al*
Wright J *see* Gama R *et al*
Wright NA *see* Wong WM and Wright NA
Wright P *see* Curry A *et al*
Wu J *see* El-Zimaity HMT *et al*
see El-Zimaity HMT *et al*
Wuthiekanun V *see* Simpson AJH *et al*

Wyatt JI *see* Arora DS *et al*
see Cruickshank SM *et al*
see Hayat M *et al*
see McNulty CAM and Wyatt JI

Xiao S-D *see* Chen X-Y *et al*

Yamano S *see* Horiuchi M *et al*
Yamaoka Y *et al*. Antibody against *Helicobacter pylori* CagA and VacA and the risk for gastric cancer, **215**
Yarranton H *see* Astall E *et al*
Yawata Y *see* Sadahira Y *et al*
Yoshikawa T *et al*. Human herpesvirus 6 latently infects mononuclear cells but not liver tissue, **65**
Young IE *et al*. Phaeochromocytoma of the spermatic cord, **305**
Young J *see* Fang D-C *et al*
see Iino H *et al*
see Jass JR *et al*

Young MPA *et al*. Accuracy and cost of intraoperative lymph node frozen sections at radical prostatectomy, **925**
Youngson JH *see* Adams EJ *et al*
Yu M-L *et al*. Clinical application of the Quantiplex HCV RNA 2.0 and Amplicor HCV Monitor assays for quantifying serum hepatitis C virus RNA, **807**
Yukawa N *et al*. Intra-alveolar haemorrhage in sudden infant death syndrome: a cause for concern?, **581**

Zahavi T *see* Liokumovich P *et al*
Zaher A *see* Hamrock D *et al*
Zhang DK *see* Cheung ANY *et al*
Zhou X-D *see* Fang D-C *et al*
Zirbes TK *see* Thiele J *et al*
Zweemer RP *et al*. Accumulation of p53 protein is frequent in ovarian cancers associated with BRCA1 and BRCA2 germline mutations, **372**

VOLUME 52 • SUBJECT INDEX

ablation treatment, Ablation treatment for Barrett oesophagus: what depth of tissue destruction is needed?, **509**

acute lymphoblastic leukaemia, Eosinophilic myelodysplasia transforming to acute lymphoblastic leukaemia, **388**

Immunophenotyping of acute lymphoblastic leukaemia in routinely processed bone marrow biopsy specimens, **688**

acute myeloid leukaemia, Immunophenotyping of acute lymphoblastic leukaemia in routinely processed bone marrow biopsy specimens, **688**

additives, The effects of freeze drying and freeze drying additives on the prothrombin time and the international sensitivity index, **744**

adenocarcinoma, Adenocarcinoma arising within a tailgut cyst: clinicopathological description and follow up of an unusual case, **310**

Relation of cervical glandular intraepithelial neoplasia to microinvasive and invasive adenocarcinoma of the uterine cervix: a study of 121 cases, **112**

adenoma, Clinicopathological features of serrated adenoma of the colorectum: comparison with traditional adenoma, **513**

adenovirus 8, Molecular epidemiology of ocular isolates of adenovirus 8 obtained over nine years, **860**

adherence, Adherence of *Candida albicans* to oral epithelial cells differentiated by Papanicolaou staining, **529**

adrenal cortical neoplasms, Adrenocortical oncocytoma, **151**

AgNOR, Methods for analysing AgNORs: *letter,* **550**

AIDS, Infection by *Rhodococcus equi* in a patient with AIDS: histological appearance mimicking Whipple's disease and *Mycobacterium avium-intracellulare* infection, **68**

AL amyloidosis, Monoclonality of infiltrating plasma cells in primary pulmonary nodular amyloidosis: detection with polymerase chain reaction, **464**

alcohol, Post-test probability that men in the community with raised plasma ferritin concentrations are hazardous drinkers, **853**

β amyloid precursor protein, The possible role of hypoxia in the formation of axonal bulbs, **203**

anaesthetic related deaths, Pathological investigation of deaths following surgery, anaesthesia, and medical procedures, **640**

anal intraepithelial neoplasia, Anal intraepithelial neoplasia in an inflammatory cloacogenic polyp, **393**

anaplastic large cell lymphoma, A cytotoxic phenotype does not predict clinical outcome in anaplastic large cell lymphomas, **129**

ANCA, Immunofluorescent patterns associated with ANCA: *letter,* **237**

Is there life in the formalin fixed neutrophil for ANCA testing? NO!: *editorial,* **403**

androgen receptor, Correlation between androgen receptor expression and FGF8 mRNA levels in patients with prostate cancer and benign prostatic hypertrophy, **29**

aneurysm, Systemic vasculitis and aneurysm formation in the Wiskott-Aldrich syndrome, **390**

angiogenesis, Fully automated microvessel counting and hot spot selection by image processing of whole tumour sections in invasive breast cancer, **184**

Predictive value of malignancy grading systems, DNA content, p53, and angiogenesis for stage I tongue carcinomas, **35**

anogenital sweat glands, Papillary hidradenoma: immunohistochemical analysis of steroid receptor profile with a focus on apocrine differentiation, **829**

antemortem stress, Postmortem prolactin as a marker of antemortem stress, **749**

antenatal screening, An analysis of relative costs and potential benefits of different policies for antenatal screening for β thalassaemia trait and variant haemoglobins, **697**

antibiotics, Antimicrobial prescribing: *leader,* **874**

antibody panel, Bouin's fixed trephine biopsies: *letter,* **79**

antifungal activity, *Pseudomonas aeruginosa* pyocyanin and 1-hydroxyphenazine inhibit fungal growth, **385**

antigen retrieval, Immunohistochemical localisation of androgen receptor in apocrine metaplasia and apocrine adenosis of the breast: relation to oestrogen and progesterone receptors, **838**

anti-MPO antibody, A latex slide agglutination test for rapid detection of antimyeloperoxidase antibody, **770**

antineutrophil cytoplasmic antibodies, A latex slide agglutination test for rapid detection of antimyeloperoxidase antibody, **770**

Atypical C-ANCA following high dose intravenous immunoglobulin, **177**

ELISA is the superior method for detecting antineutrophil cytoplasmic antibodies in the diagnosis of systemic necrotising vasculitis, **670**

How to test for antineutrophil cytoplasmic antibodies—evidence based immunology?: *editorial,* **81**

Pitfalls of formalin fixation for determination of antineutrophil cytoplasmic antibodies, **475**

antinuclear antibody, Routine immunofluorescence detection of Ro/SS-A autoantibody using HEp-2 cells transfected with human 60 kDa Ro/SS-A, **684**

antiviral agents, Recent advances in antiviral therapy: *leader,* **89**

antiviral treatment, Genital herpes, "the new paradigm", **1**

apocrine differentiation, Papillary hidradenoma: immunohistochemical analysis of steroid receptor profile with a focus on apocrine differentiation, **829**

apocrine etaplasia, Immunohistochemical localisation of androgen receptor in apocrine metaplasia and apocrine adenosis of the breast: relation to oestrogen and progesterone receptors, **838**

apoptosis, Prognostic value of tumour associated antigen immunoreactivity and apoptosis in cerebral glioblastomas: an analysis of 168 cases, **574**

arrhythmias, A prospective audit of pacemaker function, implant lifetime, and cause of death in the patient, **677**

arthroplasty, An assessment of the histological criteria used to diagnose infection in hip revision arthroplasty tissues, **118**

aspergillosis, A polymerase chain reaction enzyme immunoassay for diagnosing infection caused by *Aspergillus fumigatus,* **419**

asplenia, Northern Region asplenia register—analysis of first two years, **424**

atherosclerosis, *Chlamydia pneumoniae* and atherosclerosis: *letter,* **398**

atypical ANCA, Diagnostic value of classical and atypical antineutrophil cytoplasmic antibody (ANCA) immunofluorescence patterns, **124**

atypical hyperplasia, Malignant mesothelioma eight years after a diagnosis of atypical mesothelial hyperplasia, **535**

atypical pneumonia, Multiplex polymerase chain reaction for the simultaneous detection of *Mycoplasma pneumoniae, Chlamydia pneumoniae,* and *Chlamydia psittaci* in respiratory samples, **257**

audit, A national audit of the laboratory diagnosis of tuberculosis and other mycobacterial diseases within the United Kingdom: *leader,* **334**

Oesophageal and gastric cancer pathology reporting: a regional audit, **435**

Review of the clinical activity of medical microbiologists in a teaching hospital, **773**

autoantibodies, Autoimmune markers are undetectable in end stage idiopathic dilated cardiomyopathy, **739**

autoimmunity, Autoimmune markers are undetectable in end stage idiopathic dilated cardiomyopathy, **739**

automation, Fully automated microvessel counting and hot spot selection by image processing of whole tumour sections in invasive breast cancer, **184**

autonomic nerve tumour, Oesophageal mesenchymal tumours: clinicopathological features and absence of Epstein-Barr virus, **758**

axillary clearance, The reliability of sampling three to six nodes for staging breast cancer, **681**

axillary sampling, The reliability of sampling three to six nodes for staging breast cancer, **681**

axillary sentinel nodes, Metastases in axillary sentinel lymph nodes in breast cancer as detected by intensive histopathological work up, **922**

axonal bulbs, The possible role of hypoxia in the formation of axonal bulbs, **203**

B cepacia, Evaluation of three oligonucleotide primer sets in PCR for the identification of *Burkholderia cepacia* and their differentiation from *Burkholderia gladioli* , **173**

bar codes, Use of bar code readers and programmable keypads to improve the speed and accuracy of manual data entry in the clinical microbiology laboratory: experience of two laboratories, **54**

Barrett oesophagus, Ablation treatment for Barrett oesophagus: what depth of tissue destruction is needed?, **509**

basal cell carcinoma, Reporting basal cell carcinoma: a survey of the attitudes of histopathologists, **867**

BBL Crystal MRSA ID system, Evaluation of the BBL Crystal MRSA ID System for detection of oxacillin resistance in *Staphylococcus aureus* , **225**

BCR/ABL fusion gene, Biological consequences of the BCR/ABL fusion gene in humans and mice: *leader,* **719**

benign prostatic hyperplasia, Immunohistochemical expression of π class glutathione S-transferase in the basal cell layer of benign prostate tissue following chronic treatment with finasteride, **350**

biliary epithelium, Expression of CD44 on bile ducts in primary sclerosing cholangitis and primary biliary cirrhosis, **730**

biocompatibility, Mononuclear leucocyte function tests in the assessment of the biocompatibility of peritoneal dialysis fluids, **901**

biomedical companies, Supplying commercial biomedical companies from a human tissue bank in an NHS hospital—a view from personal experience, **254**

biopsy, A comparison of three methods of orienting cervical punch biopsies, **149**

bladder carcinoma, Detection of human papillomavirus DNA in urinary bladder carcinoma by in situ hybridisation, **103**

blood culture, Cross contamination of blood cultures associated with a multiple use venting device, **231**

blood culture methods, A comparison of lysis centrifugation, pour plate, and conventional blood culture methods in the diagnosis of septicaemic melioidosis, **616**
blood transfusion, The risks of infection transmission by blood transfusion in England: *leader,* **405**
bone compartments, Differential patterns of altered bone formation in different bone compartments in established osteoporosis, **23**
bone formation, Differential patterns of altered bone formation in different bone compartments in established osteoporosis, **23**
bone marrow, Focal lymphoid aggregates (nodules) in bone marrow biopsies: differentiation between benign hyperplasia and malignant lymphoma—a practical guideline, **294**
Immunophenotyping of acute lymphoblastic leukaemia in routinely processed bone marrow biopsy specimens, **688**
Reactive and neoplastic lymphocytes in human bone marrow: morphological, immunohistological, and molecular biological investigations on biopsy specimens, **521**
bone marrow aspiration, Trained nurses can obtain satisfactory bone marrow aspirates and trephine biopsies, **154**
bone marrow biopsy, Bouin's fixed trephine biopsies: *letter,* **79**
bone marrow transplantation, A human skin explant model for predicting graft-versus-host disease following bone marrow transplantation, **910**
bone marrow trephine biopsy, Deterioration in performance in obtaining bone marrow trephine biopsy cores from children, **851**
bone tumours, Diagnostic and prognostic implications of the unfolding molecular biology of bone and soft tissue tumours: *leader,* **481**
boric acid preservation, The effect of specimen processing delay on borate urine preservation, **95**
Bouin fixed bone marrow, L26 (CD20) staining of Bouin fixed bone marrow biopsies: *letter,* **931**
Bouin's fixative, Bouin's fixed trephine biopsies: *letter,* **79**
BRCA1 and BRCA2, Accumulation of p53 protein is frequent in ovarian cancers associated with BRCA1 and BRCA2 germline mutations, **372**
breast, Calcium oxalate crystals (Weddellite) within the secretions of ductal carcinoma in situ—a rare phenomenon, **145**
HLA class II DRB1 and DQB1 allelic polymorphism and sclerosing lymphocytic lobulitis of the breast, **445**
Immunohistochemical localisation of androgen receptor in apocrine metaplasia and apocrine adenosis of the breast: relation to oestrogen and progesterone receptors, **838**
breast cancer, Fully automated microvessel counting and hot spot selection by image processing of whole tumour sections in invasive breast cancer, **184**
Histopathological workup of sentinel lymph nodes: how much is enough?: *editorial,* **871**
The reliability of sampling three to six nodes for staging breast cancer, **681**
breast carcinoma, Breast carcinomas in patients on HRT: *letter,* **478**
Immunohistochemical differentiation between primary adenocarcinomas of the ovary and ovarian metastases of colonic and breast origin. Comparison between a statistical and an intuitive approach, **283**
Microsatellite abnormalities in plasma of patients with breast carcinoma: concordance with the primary tumour, **363**
Severe hypoglycaemia caused by raised insulin-like growth factor II in disseminated breast cancer, **780**
Short term significance of DNA ploidy and cell proliferation in breast carcinoma: a multivariate analysis of prognostic markers in a series of 308 patients, **604**
bubbles, Pseudoglandular formations in clot sections from fine needle aspirates—an artefact caused by bubble formation during aspiration, **532**

cadaver, Prevalence of HIV and hepatitis C markers among a cadaver population in Milan, **267**
Rights of possession in human corpses: *letter,* **317**
cag pathogenicity island, Increased expression of IL-10 and IL-12 (p40) mRNA in *Helicobacter pylori* infected gastric mucosa: relation to bacterial cag status and peptic ulceration, **658**
Modulation of *Helicobacter pylori* induced interleukin-8 synthesis in gastric epithelial cells mediated by cag PAI encoded VirD4 homologue, **653**
CagA gene, Antibody against *Helicobacter pylori* CagA and VacA and the risk for gastric cancer, **215**
calcification, Calcium oxalate (Weddellite) crystals within ductal carcinoma in situ: *letter,* **932**
calcifying fibrous pseudotumour, Development of a calcifying fibrous pseudotumour within a lesion of Castleman disease, hyaline-vascular subtype, **547**
calcium oxalate, Calcium oxalate (Weddellite) crystals within ductal carcinoma in situ: *letter,* **932**
campylobacter, Increasing rates of ciprofloxacin resistant campylobacter: *letter,* **709**
***Campylobacter* spp,** Drug resistance in *Campylobacter jejuni, C coli,* and *C lari* isolated from humans in North West England and Wales, 1997, **812**
cancer aetiology, Cell cycle regulators: mechanisms and their role in actiology, prognosis, and treatment of cancer: *leader,* **555**
cancer treatment, Cell cycle regulators: mechanisms and their role in aetiology, prognosis, and treatment of cancer: *leader,* **555**
Candida albicans, Adherence of *Candida albicans* to oral epithelial cells differentiated by Papanicolaou staining, **529**
carcinogenesis, Increased expression of multidrug resistance related proteins Pgp, MRP1, and LRP/MVP occurs early in colorectal carcinogenesis, **450**
Sulphomucins favour adhesion of *Helicobacter pylori* to metaplastic gastric mucosa, **137**
carcinoid tumour, Small intestinal ulceration secondary to carcinoid tumour arising in a Meckel's diverticulum, **72**
Castleman disease, Development of a calcifying fibrous pseudotumour within a lesion of Castleman disease, hyaline-vascular subtype, **547**
α catenin, Reduced expression of α catenin is associated with poor prognosis in colorectal carcinoma, **10**
β catenin Immunolocalisation of β catenin in intestinal polyps of Peutz–Jeghers and juvenile polyposis syndromes, **345**
β catenin expression, A novel case of a sporadic desmoid tumour with mutation of the β catenin gene, **695**
β catenin mutation, A novel case of a sporadic desmoid tumour with mutation of the β catenin gene, **695**
cathepsin D, Prognostic evaluation of metallothionein expression in human colorectal neoplasms, **876**
CD10, CD10 positive thyroid marginal zone non-Hodgkin lymphoma, **849**
CD34, Granulocytic sarcoma preceding AML M0 and the diagnostic value of CD34, **705**
CD44, Expression of CD44 on bile ducts in primary sclerosing cholangitis and primary biliary cirrhosis, **730**
Prognostic evaluation of metallothionein expression in human colorectal neoplasms, **876**
CD44s, CD44s as a surrogate marker for distinguishing intraductal papilloma from papillary carcinoma of the breast, **862**
CD-ROM, Continuing professional development: is the future *Pathology Interactive*?: *editorial,* **401**
cell cycle regulators, Cell cycle regulators: mechanisms and their role in aetiology, prognosis, and treatment of cancer: *leader,* **555**
cell proliferation, Cell proliferation in gastrointestinal mucosa: *leader,* **321**
The enhanced peroxidase one step method increases sensitivity for detection of Ki-67 in pituitary tumours, **624**
cervical cancer, Cytokeratin 10/13, 14, 7, 8, and 18 in invasive squamous cell carcinoma and adenocarcinoma of the uterine cervix: *letter,* **789**
Thymidine phosphorylase expression in progression of cervical cancer: correlation with microvessel count, proliferating cell nuclear antigen, and apoptosis, **598**
cervical cytology, The characteristics of false negative cervical smears—implications for the UK cervical cancer screening programme, **358**
cervical glandular intraepithelial neoplasia, Cervical intraepithelial glandular neoplasia: *letter,* **550**
Relation of cervical glandular intraepithelial neoplasia to microinvasive and invasive adenocarcinoma of the uterine cervix: a study of 121 cases, **112**
cervical intraepithelial neoplasia, Distribution of 14 high risk HPV types in cervical intraepithelial neoplasia detected by a non-radioactive general primer PCR mediated enzyme immunoassay, **17**
Follow up of women with borderline cervical smears as defined by national guidelines, **787**
cervical pathology, Differential expression of keratins 10, 17, and 19 in normal cervical epithelium, cervical intraepithelial neoplasia, and cervical carcinoma, **41**
cervix, A comparison of three methods of orienting cervical punch biopsies, **149**
Cervical intraepithelial glandular neoplasia: *letter,* **550**
Cyclin dependent kinase inhibitor $p27^{Kip1}$ expression in normal and neoplastic cervical epithelium, **880**
Effect of using templates on the information included in histopathology reports on specimens of uterine cervix taken by loop excision of the transformation zone, **825**
Extension of extramammary Paget disease of the vulva to the cervix, **538**
Follow up of women with borderline cervical smears as defined by national guidelines, **787**
Relation of cervical glandular intraepithelial neoplasia to microinvasive and invasive adenocarcinoma of the uterine cervix: a study of 121 cases, **112**
chemical liver iron assessment, Low hepatic iron concentration: evaluation of two complementary methods, colorimetric assay and iron histological scoring, **430**
chemoprevention, Prostate cancer prevention: review of target populations, pathological biomarkers, and chemopreventive agents, **793**
children, Deterioration in performance in obtaining bone marrow trephine biopsy cores from children, **851**
chlamydia, The species specificity of the microimmunofluorescence antibody test and comparisons with a time resolved fluoroscopic immunoassay for measuring IgG antibodies against *Chlamydia pneumoniae,* **99**

Chlamydia pneumoniae, *Chlamydia pneumoniae* and atherosclerosis: *letter*, **398**
Multiplex polymerase chain reaction for the simultaneous detection of *Mycoplasma pneumoniae*, *Chlamydia pneumoniae*, and *Chlamydia psittaci* in respiratory samples, **257**
Chlamydia psittaci, Multiplex polymerase chain reaction for the simultaneous detection of *Mycoplasma pneumoniae*, *Chlamydia pneumoniae*, and *Chlamydia psittaci* in respiratory samples, **257**
cholestyramine, The use of histological techniques for the demonstration of ion exchange resins, **776**
chronic myeloid leukaemia, Biological consequences of the BCR/ABL fusion gene in humans and mice: *leader*, **719**
ciliated epithelia, Application of a marker of ciliated epithelial cells to gynaecological pathology, **355**
CIN, Differential expression of keratins 10, 17, and 19 in normal cervical epithelium, cervical intraepithelial neoplasia, and cervical carcinoma, **41**
ciprofloxacin, Increasing rates of ciprofloxacin resistant campylobacter: *letter*, **709**
cirrhosis, Detection of telomerase in hepatocellular carcinomas using a PCR ELISA assay: comparison with hTR expression, **725**
classical ANCA, Diagnostic value of classical and atypical antineutrophil cytoplasmic antibody (ANCA) immunofluorescence patterns, **124**
classification, Reporting basal cell carcinoma: a survey of the attitudes of histopathologists, **867**
clinical governance, Continuing professional development: some new perspectives: *leader*, **162**
clinical interaction, Review of the clinical activity of medical microbiologists in a teaching hospital, **773**
cloacogenic polyp, Anal intraepithelial neoplasia in an inflammatory cloacogenic polyp, **393**
clot section, Pseudoglandular formations in clot sections from fine needle aspirates—an artefact caused by bubble formation during aspiration, **532**
CME, : *editorial*
coagulometer, A primary care evaluation of three near patient coagulometers, **842**
coeliac disease, IgA anti-tissue transglutaminase as a diagnostic marker of gluten sensitive enteropathy, **274**
The pattern of involvement of the gastric mucosa in lymphocytic gastritis is predictive of the presence of duodenal pathology, **815**
collagenous colitis, Lymphocytic venulitis: an unusual association with microscopic colitis, **303**
colon, Clinicopathological features of serrated adenoma of the colorectum: comparison with traditional adenoma, **513**
Differential expression of high molecular weight caldesmon in colorectal pericryptal fibroblasts and tumour stroma, **785**
Increased expression of multidrug resistance related proteins Pgp, MRP1, and LRP/MVP occurs early in colorectal carcinogenesis, **450**
colonic angiodysplasia, Colonic angiodysplasia: *letter*, **237**
colonic disease, Infection by *Rhodococcus equi* in a patient with AIDS: histological appearance mimicking Whipple's disease and *Mycobacterium avium-intracellulare* infection, **68**
colonoscopy, Clinicopathological features of serrated adenoma of the colorectum: comparison with traditional adenoma, **513**
colorectal adenocarcinoma, Characterisation of a subtype of colorectal cancer combining features of the suppressor and mild mutator pathways, **455**
colorectal cancer, Reduced expression of α catenin is associated with poor prognosis in colorectal carcinoma, **10**
colorectal carcinoma, Immunohistochemical differentiation between primary adenocarcinomas of the ovary and ovarian metastases of colonic and breast origin. Comparison between a statistical and an intuitive approach, **283**
Vitamin D receptor expression in colorectal cancer, **181**
colorectal tumours, Prognostic evaluation of metallothionein expression in human colorectal neoplasms, **876**
colorectum, DNA microsatellite instability in hyperplastic polyps, serrated adenomas, and mixed polyps: a mild mutator pathway for colorectal cancer?, **5**
commercial kits, Comparative study of seven commercial yeast identification systems, **271**
competitive nested polymerase chain reaction, Quantitation of *Toxoplasma gondii* DNA in a competitive nested polymerase chain reaction, **61**
continuing medical education, Continuing professional development: is the future *Pathology Interactive*?: *editorial*, **401**
continuing professional development, Continuing professional development: is the future *Pathology Interactive*?: *editorial*, **401**
Continuing professional development: some new perspectives: *leader*, **162**
corneal opacification, A first British case of fish-eye disease presenting at age 75 years: a double heterozygote for defined and new mutations affecting LCAT structure and expression, **228**
coronary artery, A case of sudden death caused by fibromuscular dysplasia, **541**
coroner's necropsy, Information before coronial necropsy: how much should be available?, **856**
CPD, : *editorial*
Crohn's disease, Circulating antibodies to *Saccharomyces cerevisiae* (bakers'/brewers' yeast) in gastrointestinal disease, **47**
cross contamination, Cross contamination of blood cultures associated with a multiple use venting device, **231**
cross reaction, Misdiagnosis of toxoplasma infection by PCR: fears unfounded, **468**
cryptococcal meningitis, Cryptococcal meningitis in an HIV negative patient with systemic sarcoidosis, **928**
cutaneous mycosis, Cutaneous *Scedosporium apiospermum* infection in an immunocompromised patient, **846**
cyclin D1, Cyclin D1 expression and HHV8 in Kaposi sarcoma, **569**
cyclin dependent kinase inhibitors (CDKi), Cyclin dependent kinase inhibitor $p27^{Kip1}$ expression in normal and neoplastic cervical epithelium, **880**
cystic fibrosis., Evaluation of three oligonucleotide primer sets in PCR for the identification of *Burkholderia cepacia* and their differentiation from *Burkholderia gladioli* , **173**
cytokeratins, Cytokeratin 10/13, 14, 7, 8, and 18 in invasive squamous cell carcinoma and adenocarcinoma of the uterine cervix: *letter*, **789**
cytology, Follow up of women with borderline cervical smears as defined by national guidelines, **787**
cytopathology, Use of alcohol fixed cytospins protected by 10% polyethylene glycol in immunocytology external quality assurance, **141**
cytoplasmic ANCA, Diagnostic value of classical and atypical antineutrophil cytoplasmic antibody (ANCA) immunofluorescence patterns, **124**

decidua, Decidual T lymphocyte activation in hydatidiform mole, **888**
decision tree, Immunohistochemical differentiation between primary adenocarcinomas of the ovary and ovarian metastases of colonic and breast origin. Comparison between a statistical and an intuitive approach, **283**
diagnosis, Evaluation of three commercial detection systems for *Mycobacterium tuberculosis* where clinical diagnosis is difficult, **193**
Genital herpes, "the new paradigm", **1**
diagnostic marker, Application of a marker of ciliated epithelial cells to gynaecological pathology, **355**
differential diagnosis, Immunohistochemical differentiation between primary adenocarcinomas of the ovary and ovarian metastases of colonic and breast origin. Comparison between a statistical and an intuitive approach, **283**
diffuse axonal injury, The possible role of hypoxia in the formation of axonal bulbs, **203**
discriminant analysis, Immunohistochemical differentiation between primary adenocarcinomas of the ovary and ovarian metastases of colonic and breast origin. Comparison between a statistical and an intuitive approach, **283**
DNA ploidy, Short term significance of DNA ploidy and cell proliferation in breast carcinoma: a multivariate analysis of prognostic markers in a series of 308 patients, **604**
DNA quantitation, Quantitation of *Toxoplasma gondii* DNA in a competitive nested polymerase chain reaction, **61**
dried blood spot, The use of the dried blood spot sample in epidemiological studies: *leader*, **633**
drug misuse, Detection of drug misuse—an addictive challenge., **713**
drug resistance, Antimicrobial prescribing: *leader*, **874**
Drug resistance in *Campylobacter jejuni*, *C coli*, and *C lari* isolated from humans in North West England and Wales, 1997, **812**
ductal carcinoma in situ, Calcium oxalate crystals (Weddellite) within the secretions of ductal carcinoma in situ—a rare phenomenon, **145**
Calcium oxalate (Weddellite) crystals within ductal carcinoma in situ: *letter*, **932**

electron microscopy, A rationalised virological electron microscope specimen testing policy, **471**
ELISA, ELISA is the superior method for detecting antineutrophil cytoplasmic antibodies in the diagnosis of systemic necrotising vasculitis, **670**
endometrial pathology, Endometrial pathology in postmenopausal tamoxifen treatment: comparison between gynaecologically symptomatic and asymptomatic breast cancer patients, **278**
endometrial stromal sarcoma, Expression of metalloproteinases endometrial stromal sarcoma: immunohistochemical study using image analysis, **198**
Metastatic endometrial stromal sarcoma masquerading as pulmonary lymphangioleiomyomatosis, **147**
Polypoid uterine lesions mimicking endometrial stromal sarcoma, **543**
endometrium, Gynaecological effects of tamoxifen: *leader*, **83**
endomysial antibody, IgA anti-tissue transglutaminase as a diagnostic marker of gluten sensitive enteropathy, **274**
enzyme linked immunosorbent assay, Prevalence of HIV and hepatitis C markers among a cadaver population in Milan, **267**
eosinophilic myelodysplasia, Eosinophilic myelodysplasia transforming to acute lymphoblastic leukaemia, **388**
epidemiology, The use of the dried blood spot sample in epidemiological studies: *leader*, **633**
epidermal growth factor receptor, Prognostic value of tumour associated antigen immunoreactivity and apoptosis in cerebral glioblastomas: an analysis of 168 cases, **574**

epithelial cell, Modulation of *Helicobacter pylori* induced interleukin-8 synthesis in gastric epithelial cells mediated by cag PAI encoded VirD4 homologue, **653**
epithelial depth, Ablation treatment for Barrett oesophagus: what depth of tissue destruction is needed?, **509**
epithelial kinetics, Cell proliferation in the post-surgical stomach, dietary salt, and the effect of *H pylori* eradication, **665**
Correlation between epithelial cell proliferation and histological grading in gastric mucosa, **367**
EPOS, Protocol for ultrarapid immunostaining of frozen sections, **461**
Epstein-Barr virus, Oesophageal mesenchymal tumours: clinicopathological features and absence of Epstein-Barr virus, **758**
Possible involvement of IL-12 expression by Epstein-Barr virus in Sjögren syndrome, **833**
erythroblast, Immunohistochemical identification of erythroid precursors in paraffin embedded bone marrow sections: spectrin is a superior marker to glycophorin, **919**
ethics, Legal and ethical aspects of the vegetative state: *leader,* **490**
Supplying commercial biomedical companies from a human tissue bank in an NHS hospital—a view from personal experience, **254**
external quality assurance, Use of alcohol fixed cytospins protected by 10% polyethylene glycol in immunocytology external quality assurance, **141**
extramammary Paget disease, Extension of extramammary Paget disease of the vulva to the cervix, **538**
eye isolates, Molecular epidemiology of ocular isolates of adenovirus 8 obtained over nine years, **860**

factor V Leiden, Rapid detection of the factor V Leiden (1691G>A) and haemochromatosis (845G>A) mutation by fluorescence resonance energy transfer (FRET) and real time PCR, **766**
false negative rate, The characteristics of false negative cervical smears—implications for the UK cervical cancer screening programme, **358**
familial LCAT deficiency, A first British case of fish-eye disease presenting at age 75 years: a double heterozygote for defined and new mutations affecting LCAT structure and expression, **228**
ferritin, Post-test probability that men in the community with raised plasma ferritin concentrations are hazardous drinkers, **853**
fibroblast growth factor 8, Correlation between androgen receptor expression and FGF8 mRNA levels in patients with prostate cancer and benign prostatic hypertrophy, **29**
fibromuscular dysplasia, A case of sudden death caused by fibromuscular dysplasia, **541**
finasteride, Immunohistochemical expression of π class glutathione S-transferase in the basal cell layer of benign prostate tissue following chronic treatment with finasteride, **350**
fine needle aspirate, Pseudoglandular formations in clot sections from fine needle aspirates—an artefact caused by bubble formation during aspiration, **532**
fish-eye disease, A first British case of fish-eye disease presenting at age 75 years: a double heterozygote for defined and new mutations affecting LCAT structure and expression, **228**
flow cytometry, Short term significance of DNA ploidy and cell proliferation in breast carcinoma: a multivariate analysis of prognostic markers in a series of 308 patients, **604**
fluorescence resonance energy transfer (FRET), Rapid detection of the factor V Leiden (1691G>A) and haemochromatosis (845G>A) mutation by fluorescence resonance energy transfer (FRET) and real time PCR, **766**
forensic medicine, Prevalence of HIV and hepatitis C markers among a cadaver population in Milan, **267**
formalin fixation, Pitfalls of formalin fixation for determination of antineutrophil cytoplasmic antibodies, **475**
formalin fixed neutrophils, Is there life in the formalin fixed neutrophil for ANCA testing? NO!: *editorial,* **403**
freeze drying, The effects of freeze drying and freeze drying additives on the prothrombin time and the international sensitivity index, **744**
frozen section, Accuracy and cost of intraoperative lymph node frozen sections at radical prostatectomy, **925**
Image sampling in static telepathology for frozen section diagnosis, **761**
Protocol for ultrarapid immunostaining of frozen sections, **461**
fungal infection, Fluconazole versus itraconazole for the prevention of fungal infections in haemato-oncology, **376**

G6PD deficiency, The molecular basis of disorders of red cell enzymes: *leader,* **241**
gastric cancer, Antibody against *Helicobacter pylori* CagA and VacA and the risk for gastric cancer, **215**
Infrequent loss of heterozygosity of APC/MCC and DCC genes in gastric cancer showing DNA microsatellite instability, **504**
Oesophageal and gastric cancer pathology reporting: a regional audit, **435**
gastric intestinal metaplasia, Sulphomucins favour adhesion of *Helicobacter pylori* to metaplastic gastric mucosa, **137**
gastric metaplasia, A reliable method for the simultaneous identification of *H pylori* and gastric metaplasia in the duodenum, **914**
gastric neoplasms, Expression of the 17-1A antigen in gastric and gastro-oesophageal junction adenocarcinomas: a potential immunotherapeutic target?, **701**
gastrin, *Helicobacter pylori* non-cytotoxic genotype enhances mucosal gastrin and mast cell tryptase, **210**
gastritis, Correlation between epithelial cell proliferation and histological grading in gastric mucosa, **367**
gastrointestinal mucosa, Cell proliferation in gastrointestinal mucosa: *leader,* **321**
gastro-oesophageal neoplasms, Expression of the 17-1A antigen in gastric and gastro-oesophageal junction adenocarcinomas: a potential immunotherapeutic target?, **701**
gelatinases, Expression of metalloproteinases endometrial stromal sarcoma: immunohistochemical study using image analysis, **198**
general primer PCR enzyme immunoassay, Distribution of 14 high risk HPV types in cervical intraepithelial neoplasia detected by a non-radioactive general primer PCR mediated enzyme immunoassay, **17**
genital herpes, Genital herpes, "the new paradigm", **1**
Genta stain, Modified Genta triple stain for identifying *Helicobacter pylori* , **693**
gestational trophoblastic disease, Telomerase activity in gestational trophoblastic disease, **588**
giant cell tumour of bone, Association of HLA-DRB1 alleles with giant cell tumour of bone, **782**
glioblastoma, Prognostic value of tumour associated antigen immunoreactivity and apoptosis in cerebral glioblastomas: an analysis of 168 cases, **574**
glomerulonephritis, Vascular endothelial growth factor mRNA expression in minimal change, membranous, and diabetic nephropathy demonstrated by non-isotopic in situ hybridisation, **735**
glomerulus, Intraglomerular metastasis: a necropsy study, **307**
glutathione S-transferase π class, Immunohistochemical expression of π class glutathione S-transferase in the basal cell layer of benign prostate tissue following chronic treatment with finasteride, **350**
graft versus host disease, Histopathological study of the human submandibular gland in graft versus host disease, **395**
graft-versus-host disease, A human skin explant model for predicting graft-versus-host disease following bone marrow transplantation, **910**
granulocytic sarcoma, Granulocytic sarcoma of the rectum: a rare complication of myelodysplasia, **865**
Granulocytic sarcoma preceding AML M0 and the diagnostic value of CD34, **705**
granzyme B, A cytotoxic phenotype does not predict clinical outcome in anaplastic large cell lymphomas, **129**
group C streptococcus, Group C streptococci isolated from throat swabs: a laboratory and clinical study, **264**
haematological malignancy, Fluconazole versus itraconazole for the prevention of fungal infections in haemato-oncology, **376**
haematoxylin, Haematoxylin—from the wood, **527**
haemochromatosis, Rapid detection of the factor V Leiden (1691G>A) and haemochromatosis (845G>A) mutation by fluorescence resonance energy transfer (FRET) and real time PCR, **766**
haemoglobinopathy, An analysis of relative costs and potential benefits of different policies for antenatal screening for β thalassaemia trait and variant haemoglobins, **697**
haemolytic anaemia, The molecular basis of disorders of red cell enzymes: *leader,* **241**
The molecular basis of disorders of the red cell membrane: *leader,* **245**
head injury, The neuropathology of the vegetative state after head injury, **804**
Helicobacter pylori, Cell proliferation in the post-surgical stomach, dietary salt, and the effect of *H pylori* eradication, **665**
Sulphomucins favour adhesion of *Helicobacter pylori* to metaplastic gastric mucosa, **137**
A reliable method for the simultaneous identification of *H pylori* and gastric metaplasia in the duodenum, **914**
Antibody against *Helicobacter pylori* CagA and VacA and the risk for gastric cancer, **215**
Increased expression of IL-10 and IL-12 (p40) mRNA in *Helicobacter pylori* infected gastric mucosa: relation to bacterial cag status and peptic ulceration, **658**
Interobserver variation in the histopathological scoring of *Helicobacter pylori* related gastritis, **612**
Helicobacter pylori non-cytotoxic genotype enhances mucosal gastrin and mast cell tryptase, **210**
Helicobacter pylori, **338**
Modified Genta triple stain for identifying *Helicobacter pylori*, **693**
Modulation of *Helicobacter pylori* induced interleukin-8 synthesis in gastric epithelial cells mediated by cag PAI encoded VirD4 homologue, **653**
hepatitis B, Age related prevalence of hepatitis G virus in South Africans, **752**
hepatitis C, Age related prevalence of hepatitis G virus in South Africans, **752**
Prevalence of HIV and hepatitis C markers among a cadaver population in Milan, **267**

hepatitis C virus, Clinical application of the Quantiplex HCV RNA 2.0 and Amplicor HCV Monitor assays for quantifying serum hepatitis C virus RNA, **807**
hepatitis G, Age related prevalence of hepatitis G virus in South Africans, **752**
hepatocellular carcinoma, Detection of telomerase in hepatocellular carcinomas using a PCR ELISA assay: comparison with hTR expression, **725**
hereditary ovarian cancer, Accumulation of p53 protein is frequent in ovarian cancers associated with BRCA1 and BRCA2 germline mutations, **372**
hereditary spherocytosis, The molecular basis of disorders of the red cell membrane: *leader,* **245**
HHV8 v-cyclin, Cyclin D1 expression and HHV8 in Kaposi sarcoma, **569**
high molecular weight caldesmon, Differential expression of high molecular weight caldesmon in colorectal pericryptal fibroblasts and tumour stroma, **785**
histocompatibility testing, HLA class II DRB1 and DQB1 allelic polymorphism and sclerosing lymphocytic lobulitis of the breast, **445**
histological diagnosis, An assessment of the histological criteria used to diagnose infection in hip revision arthroplasty tissues, **118**
histological liver iron assessment, Low hepatic iron concentration: evaluation of two complementary methods, colorimetric assay and iron histological scoring, **430**
histological reporting, Reporting basal cell carcinoma: a survey of the attitudes of histopathologists, **867**
histopathology, Application of a marker of ciliated epithelial cells to gynaecological pathology, **355**
Workload measurement in histopathology: *letter,* **398**
HIV, Coexistent gastric MALT lymphoma and Kaposi sarcoma in an HIV positive patient, **313**
Cryptococcal meningitis in an HIV negative patient with systemic sarcoidosis, **928**
Prevalence of HIV and hepatitis C markers among a cadaver population in Milan, **267**
HLA antigens, HLA class II DRB1 and DQB1 allelic polymorphism and sclerosing lymphocytic lobulitis of the breast, **445**
HLA-DR genotyping, Association of HLA-DRB1 alleles with giant cell tumour of bone, **782**
hormone receptor, Immunohistochemical localisation of androgen receptor in apocrine metaplasia and apocrine adenosis of the breast: relation to oestrogen and progesterone receptors, **838**
hormone replacement therapy, Breast carcinomas in patients on HRT: *letter,* **478**
hTR, Detection of telomerase in hepatocellular carcinomas using a PCR ELISA assay: comparison with hTR expression, **725**
human herpesvirus 6, Detection of human herpesviruses 6 and 7 genomic sequences in brain tumours, **620**
Human herpesvirus 6 latently infects mononuclear cells but not liver tissue, **65**
human herpesvirus 7, Detection of human herpesviruses 6 and 7 genomic sequences in brain tumours, **620**
human papillomavirus, Detection of human papillomavirus DNA in urinary bladder carcinoma by in situ hybridisation, **103**
Distribution of 14 high risk HPV types in cervical intraepithelial neoplasia detected by a non-radioactive general primer PCR mediated enzyme immunoassay, **17**
Human papillomavirus and the development of non-melanoma skin cancer: *leader,* **249**
Reliable high risk HPV DNA testing by polymerase chain reaction: an intermethod and intramethod comparison, **498**
human tissue bank, Supplying commercial biomedical companies from a human tissue bank in an NHS hospital—a view from personal experience, **254**
hydatidiform mole, Decidual T lymphocyte activation in hydatidiform mole, **888**
Telomerase activity in gestational trophoblastic disease, **588**
hypertriglyceridaemia, Proinsulin and insulin responses to a mixed meal in hypertriglyceridaemic men, **627**
hypoglycaemia, Severe hypoglycaemia caused by raised insulin-like growth factor II in disseminated breast cancer, **780**
hypokalaemic paralysis, Hypokalaemic paralysis revealing Sjögren syndrome in an elderly man, **157**
hypoxia, The possible role of hypoxia in the formation of axonal bulbs, **203**

idiopathic dilated cardiomyopathy, Autoimmune markers are undetectable in end stage idiopathic dilated cardiomyopathy, **739**
IL-10, Increased expression of IL-10 and IL-12 (p40) mRNA in *Helicobacter pylori* infected gastric mucosa: relation to bacterial cag status and peptic ulceration, **658**
IL-12, Increased expression of IL-10 and IL-12 (p40) mRNA in *Helicobacter pylori* infected gastric mucosa: relation to bacterial cag status and peptic ulceration, **658**
Possible involvement of IL-12 expression by Epstein-Barr virus in Sjögren syndrome, **833**
image analysis, Expression of metalloproteinases endometrial stromal sarcoma: immunohistochemical study using image analysis, **198**
Fully automated microvessel counting and hot spot selection by image processing of whole tumour sections in invasive breast cancer, **184**
imidazoles, Fluconazole versus itraconazole for the prevention of fungal infections in haemato-oncology, **376**
immune deficiency, Cutaneous *Scedosporium apiospermum* infection in an immunocompromised patient, **846**
immunisation, Northern Region asplenia register—analysis of first two years, **424**
immunocytochemistry, Use of alcohol fixed cytospins protected by 10% polyethylene glycol in immunocytology external quality assurance, **141**
immunodeficiency, Cryptococcal meningitis in an HIV negative patient with systemic sarcoidosis, **928**
Northern Region asplenia register—analysis of first two years, **424**
immunofluorescence, ELISA is the superior method for detecting antineutrophil cytoplasmic antibodies in the diagnosis of systemic necrotising vasculitis, **670**
Immunofluorescent patterns associated with ANCA: *letter,* **237**
immunofluorescent assay, How to test for antineutrophil cytoplasmic antibodies—evidence based immunology?: *editorial,* **81**
immunohistochemistry, Accumulation of p53 protein is frequent in ovarian cancers associated with BRCA1 and BRCA2 germline mutations, **372**
Comparison of different scoring systems for immunohistochemical staining, **75**
Correlation between androgen receptor expression and FGF8 mRNA levels in patients with prostate cancer and benign prostatic hypertrophy, **29**
Immunohistochemical differentiation between primary adenocarcinomas of the ovary and ovarian metastases of colonic and breast origin. Comparison between a statistical and an intuitive approach, **283**
Immunohistochemical identification of erythroid precursors in paraffin embedded bone marrow sections: spectrin is a superior marker to glycophorin, **919**
Immunohistochemical study of thrombospondin and its receptors $\alpha v\beta 3$ and CD36 in normal thyroid and in thyroid tumours, **895**
Immunophenotyping of acute lymphoblastic leukaemia in routinely processed bone marrow biopsy specimens, **688**
Metastases in axillary sentinel lymph nodes in breast cancer as detected by intensive histopathological work up, **922**
Polypoid uterine lesions mimicking endometrial stromal sarcoma, **543**
Protocol for ultrarapid immunostaining of frozen sections, **461**
Vitamin D receptor expression in colorectal cancer, **181**
immunology, Recent advances in antiviral therapy: *leader,* **89**
immunotherapy, Expression of the 17-1A antigen in gastric and gastro-oesophageal junction adenocarcinomas: a potential immunotherapeutic target?, **701**
in situ hybridisation, Correlation between androgen receptor expression and FGF8 mRNA levels in patients with prostate cancer and benign prostatic hypertrophy, **29**
Detection of human papillomavirus DNA in urinary bladder carcinoma by in situ hybridisation, **103**
indirect immunofluorescence, Pitfalls of formalin fixation for determination of antineutrophil cytoplasmic antibodies, **475**
infection, An assessment of the histological criteria used to diagnose infection in hip revision arthroplasty tissues, **118**
infection control, A survey of infections in United Kingdom laboratories, 1994–1995, **415**
infection risk, The risks of infection transmission by blood transfusion in England: *leader,* **405**
inflammatory bowel disease, Vascular anatomy in gastrointestinal inflammation, **381**
inflammatory liver disease, Expression of CD44 on bile ducts in primary sclerosing cholangitis and primary biliary cirrhosis, **730**
INR, A primary care evaluation of three near patient coagulometers, **842**
INR testing, Is the international normalised ratio (INR) reliable? A trial of comparative measurements in hospital laboratory and primary care settings, **494**
insulin, Proinsulin and insulin responses to a mixed meal in hypertriglyceridaemic men, **627**
insulin-like growth factor, Severe hypoglycaemia caused by raised insulin-like growth factor II in disseminated breast cancer, **780**
interferon, Clinical application of the Quantiplex HCV RNA 2.0 and Amplicor HCV Monitor assays for quantifying serum hepatitis C virus RNA, **807**
interleukin-8, Modulation of *Helicobacter pylori* induced interleukin-8 synthesis in gastric epithelial cells mediated by cag PAI encoded VirD4 homologue, **653**
intermethod agreement, Reliable high risk HPV DNA testing by polymerase chain reaction: an intermethod and intramethod comparison, **498**
internet, Image sampling in static telepathology for frozen section diagnosis, **761**
interobserver error, Comparison of different scoring systems for immunohistochemical staining, **75**

interobserver variation, Interobserver variation in the histopathological scoring of *Helicobacter pylori* related gastritis, **612**
intra-alveolar haemorrhage, Intra-alveolar haemorrhage in sudden infant death syndrome: a cause for concern?, **581**
Intra-alveolar haemorrhage in sudden infant death syndrome: a cause for concern?: *editorial*, **553**
intracranial arterial aneurysm, Misconceptions of the pathology of intracranial arterial aneurysms: *letter*, **708**
intracranial tumours, Telomerase expression in intracranial tumours: prognostic potential for malignant gliomas and meningiomas, **234**
intraductal papilloma, CD44s as a surrogate marker for distinguishing intraductal papilloma from papillary carcinoma of the breast, **862**
intraepithelial lymphocytosis, The pattern of involvement of the gastric mucosa in lymphocytic gastritis is predictive of the presence of duodenal pathology, **815**
intramethod agreement, Reliable high risk HPV DNA testing by polymerase chain reaction: an intermethod and intramethod comparison, **498**
intraoperative diagnosis, Accuracy and cost of intraoperative lymph node frozen sections at radical prostatectomy, **925**
intravenous immunoglobulin, Atypical C-ANCA following high dose intravenous immunoglobulin, **177**
invasiveness, Ki-67 labelling index and invasiveness among anterior pituitary adenomas: analysis of 103 cases using the MIB-1 monoclonal antibody, **107**
ion-exchange resin, The use of histological techniques for the demonstration of ion exchange resins, **776**
iron, Low hepatic iron concentration: evaluation of two complementary methods, colorimetric assay and iron histological scoring, **430**
ISI, The effects of freeze drying and freeze drying additives on the prothrombin time and the international sensitivity index, **744**

juvenile polyposis, Immunolocalisation of β catenin in intestinal polyps of Peutz–Jeghers and juvenile polyposis syndromes, **345**

Kaposi sarcoma, Coexistent gastric MALT lymphoma and Kaposi sarcoma in an HIV positive patient, **313**
Cyclin D1 expression and HHV8 in Kaposi sarcoma, **569**
kappa test, The contribution of MIB 1 in the accurate grading of vulvar intraepithelial neoplasia, **820**
keratin expression, Differential expression of keratins 10, 17, and 19 in normal cervical epithelium, cervical intraepithelial neoplasia, and cervical carcinoma, **41**
Ki-67, Cyclin dependent kinase inhibitor $p27^{Kip1}$ expression in normal and neoplastic cervical epithelium, **880**
Ki-67 labelling index and invasiveness among anterior pituitary adenomas: analysis of 103 cases using the MIB-1 monoclonal antibody, **107**
Ki-67, oestrogen receptor, and progesterone receptor proteins in the human *rete ovarii* and in endometriosis, **517**
The enhanced peroxidase one step method increases sensitivity for detection of Ki-67 in pituitary tumours, **624**
kidney, Intraglomerular metastasis: a necropsy study, **307**
Systemic vasculitis and aneurysm formation in the Wiskott-Aldrich syndrome, **390**
KU activity, KU activity: *letter*, **78**

laboratory acquired infections, A survey of infections in United Kingdom laboratories, 1994–1995, **415**
laboratory analytical techniques, Detection of drug misuse—an addictive challenge, **713**
laboratory data, Use of bar code readers and programmable keypads to improve the speed and accuracy of manual data entry in the clinical microbiology laboratory: experience of two laboratories, **54**
laboratory diagnosis, A comparison of three methods of orienting cervical punch biopsies, **149**
Laboratory diagnosis of vaginal discharge (ACP Broadsheet No 153): *letter*, **629**
Helicobacter pylori, **338**
laboratory methods, Development and validation of an assay for urinary tissue factor activity, **219**
laryngeal neoplasms, Downregulation of p21/WAF1 is related to advanced and dedifferentiated laryngeal squamous cell carcinoma, **440**
latex agglutination, A latex slide agglutination test for rapid detection of antimyeloperoxidase antibody, **770**
law, Legal and ethical aspects of the vegetative state: *leader*, **490**
LCAT gene mutation, A first British case of fish-eye disease presenting at age 75 years: a double heterozygote for defined and new mutations affecting LCAT structure and expression, **228**
lead nitrate, Modified Genta triple stain for identifying *Helicobacter pylori*, **693**
leiomyoma, Oesophageal mesenchymal tumours: clinicopathological features and absence of Epstein-Barr virus, **758**
Polypoid uterine lesions mimicking endometrial stromal sarcoma, **543**
LightCycler, Rapid detection of the factor V Leiden (1691G>A) and haemochromatosis (845G>A) mutation by fluorescence resonance energy transfer (FRET) and real time PCR, **766**
liver, Low hepatic iron concentration: evaluation of two complementary methods, colorimetric assay and iron histological scoring, **430**
liver transplantation, Human herpesvirus 6 latently infects mononuclear cells but not liver tissue, **65**
loop excision of the transformation zone, Effect of using templates on the information included in histopathology reports on specimens of uterine cervix taken by loop excision of the transformation zone, **825**
loss of heterozygosity, Characterisation of a subtype of colorectal cancer combining features of the suppressor and mild mutator pathways, **455**
Infrequent loss of heterozygosity of APC/MCC and DCC genes in gastric cancer showing DNA microsatellite instability, **504**
lung, Monoclonality of infiltrating plasma cells in primary pulmonary nodular amyloidosis: detection with polymerase chain reaction, **464**
lung transplantation, Metastatic endometrial stromal sarcoma masquerading as pulmonary lymphangioleiomyomatosis, **147**
lymphangioleiomyomatosis, Metastatic endometrial stromal sarcoma masquerading as pulmonary lymphangioleiomyomatosis, **147**
lymphocyte infiltration, Histopathological study of the human submandibular gland in graft versus host disease, **395**
lymphocytic colitis, Lymphocytic venulitis: an unusual association with microscopic colitis, **303**
lymphocytic gastritis, The pattern of involvement of the gastric mucosa in lymphocytic gastritis is predictive of the presence of duodenal pathology, **815**
lymphocytic venulitis, Lymphocytic venulitis: an unusual association with microscopic colitis, **303**
lymphoid neoplasms, L26 (CD20) staining of Bouin fixed bone marrow biopsies: *letter*, **931**
lymphoid nodules, Focal lymphoid aggregates (nodules) in bone marrow biopsies: differentiation between benign hyperplasia and malignant lymphoma—a practical guideline, **294**
lymphoma, Granulocytic sarcoma preceding AML M0 and the diagnostic value of CD34, **705**
lysis centrifugation, A comparison of lysis centrifugation, pour plate, and conventional blood culture methods in the diagnosis of septicaemic melioidosis, **616**

malignancy grading, Predictive value of malignancy grading systems, DNA content, p53, and angiogenesis for stage I tongue carcinomas, **35**
malignant tumour, Malignant mesothelioma eight years after a diagnosis of atypical mesothelial hyperplasia, **535**
malt lymphoma, Coexistent gastric MALT lymphoma and Kaposi sarcoma in an HIV positive patient, **313**
marginal zone non-Hodgkin lymphoma, CD10 positive thyroid marginal zone non-Hodgkin lymphoma, **849**
mast cells, *Helicobacter pylori* non-cytotoxic genotype enhances mucosal gastrin and mast cell tryptase, **210**
Meckel's diverticulum, Small intestinal ulceration secondary to carcinoid tumour arising in a Meckel's diverticulum, **72**
medical history, Information before coronial necropsy: how much should be available?, **856**
melioidosis, A comparison of lysis centrifugation, pour plate, and conventional blood culture methods in the diagnosis of septicaemic melioidosis, **616**
mesothelioma, Mutations of p53 gene and SV40 sequences in asbestos associated and non-asbestos-associated mesotheliomas, **291**
mesothelium, Malignant mesothelioma eight years after a diagnosis of atypical mesothelial hyperplasia, **535**
metalloproteinases, Expression of metalloproteinases endometrial stromal sarcoma: immunohistochemical study using image analysis, **198**
metallothionein, Prognostic evaluation of metallothionein expression in human colorectal neoplasms, **876**
metaplasia, Application of a marker of ciliated epithelial cells to gynaecological pathology, **355**
metastases, Histopathological workup of sentinel lymph nodes: how much is enough?: *editorial*, **871**
MIB 1, The contribution of MIB 1 in the accurate grading of vulvar intraepithelial neoplasia, **820**
microbiology, Review of the clinical activity of medical microbiologists in a teaching hospital, **773**
microimmunofluorescence test, The species specificity of the microimmunofluorescence antibody test and comparisons with a time resolved fluoroscopic immunoassay for measuring IgG antibodies against *Chlamydia pneumoniae*, **99**
microinvasive adenocarcinoma, Relation of cervical glandular intraepithelial neoplasia to microinvasive and invasive adenocarcinoma of the uterine cervix: a study of 121 cases, **112**
microsatellite, Microsatellite abnormalities in plasma of patients with breast carcinoma: concordance with the primary tumour, **363**
microsatellite instability, Characterisation of a subtype of colorectal cancer combining features of the suppressor and mild mutator pathways, **455**

DNA microsatellite instability in hyperplastic polyps, serrated adenomas, and mixed polyps: a mild mutator pathway for colorectal cancer?, **5**
Infrequent loss of heterozygosity of APC/MCC and DCC genes in gastric cancer showing DNA microsatellite instability, **504**
microvessel count, Thymidine phosphorylase expression in progression of cervical cancer: correlation with microvessel count, proliferating cell nuclear antigen, and apoptosis, **598**
molecular biology, Diagnostic and prognostic implications of the unfolding molecular biology of bone and soft tissue tumours: *leader,* **481**
molecular diagnosis, A national audit of the laboratory diagnosis of tuberculosis and other mycobacterial diseases within the United Kingdom: *leader,* **334**
molecular epidemiology, Molecular epidemiology of ocular isolates of adenovirus 8 obtained over nine years, **860**
molecular targets, Prostate cancer prevention: review of target populations, pathological biomarkers, and chemopreventive agents, **793**
mononuclear cells, Human herpesvirus 6 latently infects mononuclear cells but not liver tissue, **65**
mononuclear leucocyte function, Mononuclear leucocyte function tests in the assessment of the biocompatibility of peritoneal dialysis fluids, **901**
mortality, A prospective audit of pacemaker function, implant lifetime, and cause of death in the patient, **677**
mucosal prolapse, Anal intraepithelial neoplasia in an inflammatory cloacogenic polyp, **393**
multidrug resistance, Increased expression of multidrug resistance related proteins Pgp, MRP1, and LRP/MVP occurs early in colorectal carcinogenesis, **450**
mycobacteria, Colonisation of point of use water filters by silver resistant non-tuberculous mycobacteria: *letter,* **629**
Mycobacterium tuberculosis, A national audit of the laboratory diagnosis of tuberculosis and other mycobacterial diseases within the United Kingdom: *leader,* **334**
Evaluation of three commercial detection systems for *Mycobacterium tuberculosis* where clinical diagnosis is difficult, **193**
Mycoplasma pneumoniae, Multiplex polymerase chain reaction for the simultaneous detection of *Mycoplasma pneumoniae, Chlamydia pneumoniae,* and *Chlamydia psittaci* in respiratory samples, **257**
myelodysplasia, Granulocytic sarcoma of the rectum: a rare complication of myelodysplasia, **865**
Pseudo-Gaucher cells in myelodysplasia, **917**
myocardial infarction, Serum markers in myocardial infarction: *leader,* **409**

near patient testing, A primary care evaluation of three near patient coagulometers, **842**
necropsy, Next of kin clinics: a new role for the pathologist, **723**
Neisseria gonorrhoeae, Evaluation of an in-house polymerase chain reaction for detection of *Neisseria gonorrhoeae* in urogenital samples, **411**
neuroblastoma, Deterioration in performance in obtaining bone marrow trephine biopsy cores from children, **851**
neuropathology, The neuropathology of the vegetative state after head injury, **804**
next of kin clinics, Next of kin clinics: a new role for the pathologist, **723**
nodular amyloidosis, Monoclonality of infiltrating plasma cells in primary pulmonary nodular amyloidosis: detection with polymerase chain reaction, **464**
non-Hodgkin lymphoma, Reactive and neoplastic lymphocytes in human bone marrow: morphological, immunohistological, and molecular biological investigations on biopsy specimens, **521**
non-melanoma skin cancer, Human papillomavirus and the development of non-melanoma skin cancer: *leader,* **249**
non-steroidal anti-inflammatory drugs, Vascular anatomy in gastrointestinal inflammation, **381**
nucleic acid amplification, Evaluation of three commercial detection systems for *Mycobacterium tuberculosis* where clinical diagnosis is difficult, **193**
nucleolar organiser region, Methods for analysing AgNORs: *letter,* **550**
nurse practitioner, Trained nurses can obtain satisfactory bone marrow aspirates and trephine biopsies, **154**

occupational exposure, A survey of infections in United Kingdom laboratories, 1994–1995, **415**
oesophageal cancer, Oesophageal and gastric cancer pathology reporting: a regional audit, **435**
oestrogen receptor protein, Ki-67, oestrogen receptor, and progesterone receptor proteins in the human *rete ovarii* and in endometriosis, **517**
oncocytoma, Adrenocortical oncocytoma, **151**
oral epithelial cells, Adherence of *Candida albicans* to oral epithelial cells differentiated by Papanicolaou staining, **529**
osteoblast, Differential patterns of altered bone formation in different bone compartments in established osteoporosis, **23**
osteoclastogenesis, Association of HLA-DRB1 alleles with giant cell tumour of bone, **782**
osteoporosis, Differential patterns of altered bone formation in different bone compartments in established osteoporosis, **23**
ovarian carcinoma, Immunohistochemical differentiation between primary adenocarcinomas of the ovary and ovarian metastases of colonic and breast origin. Comparison between a statistical and an intuitive approach, **283**
ovary, Gynaecological effects of tamoxifen: *leader,* **83**
overlaying, Intra-alveolar haemorrhage in sudden infant death syndrome: a cause for concern?, **581**
oxacillin resistance, Evaluation of the BBL Crystal MRSA ID System for detection of oxacillin resistance in *Staphylococcus aureus* , **225**

p21/WAF1, Downregulation of p21/WAF1 is related to advanced and dedifferentiated laryngeal squamous cell carcinoma, **440**
$p27^{Kip1}$, Cyclin dependent kinase inhibitor $p27^{Kip1}$ expression in normal and neoplastic cervical epithelium, **880**
p53 gene, Accumulation of p53 protein is frequent in ovarian cancers associated with BRCA1 and BRCA2 germline mutations, **372**
Mutations of p53 gene and SV40 sequences in asbestos associated and non-asbestos-associated mesotheliomas, **291**
pacemaker, A prospective audit of pacemaker function, implant lifetime, and cause of death in the patient, **677**
Paget disease, Extension of extramammary Paget disease of the vulva to the cervix, **538**
Papanicolaou staining, Adherence of *Candida albicans* to oral epithelial cells differentiated by Papanicolaou staining, **529**
papillary carcinoma of breast, CD44s as a surrogate marker for distinguishing intraductal papilloma from papillary carcinoma of the breast, **862**
papillary hidradenomas, Papillary hidradenoma: immunohistochemical analysis of steroid receptor profile with a focus on apocrine differentiation, **829**
parenchymal destruction, Histopathological study of the human submandibular gland in graft versus host disease, **395**
pathology, Continuing professional development: some new perspectives: *leader,* **162**
pathology reporting, Effect of using templates on the information included in histopathology reports on specimens of uterine cervix taken by loop excision of the transformation zone, **825**
Oesophageal and gastric cancer pathology reporting: a regional audit, **435**
PCR, Evaluation of three oligonucleotide primer sets in PCR for the identification of *Burkholderia cepacia* and their differentiation from *Burkholderia gladioli* , **173**
peptic ulcer, Increased expression of IL-10 and IL-12 (p40) mRNA in *Helicobacter pylori* infected gastric mucosa: relation to bacterial cag status and peptic ulceration, **658**
Vascular anatomy in gastrointestinal inflammation, **381**
pericryptal fibroblast, Differential expression of high molecular weight caldesmon in colorectal pericryptal fibroblasts and tumour stroma, **785**
peritoneal dialysis, Mononuclear leucocyte function tests in the assessment of the biocompatibility of peritoneal dialysis fluids, **901**
peritoneum, Malignant mesothelioma eight years after a diagnosis of atypical mesothelial hyperplasia, **535**
persistent vegetative state, Legal and ethical aspects of the vegetative state: *leader,* **490**
Peutz–Jeghers, Immunolocalisation of β catenin in intestinal polyps of Peutz–Jeghers and juvenile polyposis syndromes, **345**
phaeochromocytoma, Phaeochromocytoma of the spermatic cord, **305**
pharyngitis, Group C streptococci isolated from throat swabs: a laboratory and clinical study, **264**
pituitary adenomas, Ki-67 labelling index and invasiveness among anterior pituitary adenomas: analysis of 103 cases using the MIB-1 monoclonal antibody, **107**
pituitary tumour, The enhanced peroxidase one step method increases sensitivity for detection of Ki-67 in pituitary tumours, **624**
point of use filters, Colonisation of point of use water filters by silver resistant non-tuberculous mycobacteria: *letter,* **629**
polymerase chain reaction, A polymerase chain reaction enzyme immunoassay for diagnosing infection caused by *Aspergillus fumigatus,* **419**
Evaluation of an in-house polymerase chain reaction for detection of *Neisseria gonorrhoeae* in urogenital samples, **411**
Evaluation of three commercial detection systems for *Mycobacterium tuberculosis* where clinical diagnosis is difficult, **193**
Human herpesvirus 6 latently infects mononuclear cells but not liver tissue, **65**
Microsatellite abnormalities in plasma of patients with breast carcinoma: concordance with the primary tumour, **363**
Misdiagnosis of toxoplasma infection by PCR: fears unfounded, **468**
Monoclonality of infiltrating plasma cells in primary pulmonary nodular amyloidosis: detection with polymerase chain reaction, **464**
Multiplex polymerase chain reaction for the simultaneous detection of *Mycoplasma pneumoniae, Chlamydia pneumoniae,* and *Chlamydia psittaci* in respiratory samples, **257**
PCR to detect *M tuberculosis: letter,* **399**

Reactive and neoplastic lymphocytes in human bone marrow: morphological, immunohistological, and molecular biological investigations on biopsy specimens, **521**
Reliable high risk HPV DNA testing by polymerase chain reaction: an intermethod and intramethod comparison, **498**
polyp, DNA microsatellite instability in hyperplastic polyps, serrated adenomas, and mixed polyps: a mild mutator pathway for colorectal cancer?, **5**
polystyrene sulphonate, The use of histological techniques for the demonstration of ion exchange resins, **776**
postmortem prolactin, Postmortem prolactin as a marker of antemortem stress, **749**
postoperative deaths, Pathological investigation of deaths following surgery, anaesthesia, and medical procedures, **640**
post-surgical stomach, Cell proliferation in the post-surgical stomach, dietary salt, and the effect of *H pylori* eradication, **665**
pour plate, A comparison of lysis centrifugation, pour plate, and conventional blood culture methods in the diagnosis of septicaemic melioidosis, **616**
prevalence, Age related prevalence of hepatitis G virus in South Africans, **752**
primary care, Is the international normalised ratio (INR) reliable? A trial of comparative measurements in hospital laboratory and primary care settings, **494**
progesterone receptor protein, Ki-67, oestrogen receptor, and progesterone receptor proteins in the human *rete ovarii* and in endometriosis, **517**
prognosis, A cytotoxic phenotype does not predict clinical outcome in anaplastic large cell lymphomas, **129**
Downregulation of p21/WAF1 is related to advanced and dedifferentiated laryngeal squamous cell carcinoma, **440**
Measurement of vascularity as a diagnostic and prognostic tool for well differentiated thyroid tumours: comparison of different methods of assessing vascularity, **593**
Reduced expression of α catenin is associated with poor prognosis in colorectal carcinoma, **10**
Short term significance of DNA ploidy and cell proliferation in breast carcinoma: a multivariate analysis of prognostic markers in a series of 308 patients, **604**
programmable keypads, Use of bar code readers and programmable keypads to improve the speed and accuracy of manual data entry in the clinical microbiology laboratory: experience of two laboratories, **54**
proinsulin, Proinsulin and insulin responses to a mixed meal in hypertriglyceridaemic men, **627**
proliferating cell nuclear antigen, Thymidine phosphorylase expression in progression of cervical cancer: correlation with microvessel count, proliferating cell nuclear antigen, and apoptosis, **598**
prostate, Immunohistochemical expression of π class glutathione S-transferase in the basal cell layer of benign prostate tissue following chronic treatment with finasteride, **350**
prostate cancer, Accuracy and cost of intraoperative lymph node frozen sections at radical prostatectomy, **925**
Prostate cancer prevention: review of target populations, pathological biomarkers, and chemopreventive agents, **793**
prostatic intraepithelial neoplasia, Prostate cancer prevention: review of target populations, pathological biomarkers, and chemopreventive agents, **793**
protein p53, Predictive value of malignancy grading systems, DNA content, p53, and angiogenesis for stage I tongue carcinomas, **35**
proteinuria, Vascular endothelial growth factor mRNA expression in minimal change, membranous, and diabetic nephropathy demonstrated by non-isotopic in situ hybridisation, **735**
prothrombin time, The effects of freeze drying and freeze drying additives on the prothrombin time and the international sensitivity index, **744**
pseudo-Gaucher cells, Pseudo-Gaucher cells in myelodysplasia, **917**
pseudoglandular artefact, Pseudoglandular formations in clot sections from fine needle aspirates—an artefact caused by bubble formation during aspiration, **532**
***Pseudomonas* species,** *Pseudomonas aeruginosa* pyocyanin and 1-hydroxyphenazine inhibit fungal growth, **385**
pyocyanin, *Pseudomonas aeruginosa* pyocyanin and 1-hydroxyphenazine inhibit fungal growth, **385**
pyruvate kinase deficiency, The molecular basis of disorders of red cell enzymes: *leader*, **241**

quality control, A comparison of three methods of orienting cervical punch biopsies, **149**

ras mutation, Characterisation of a subtype of colorectal cancer combining features of the suppressor and mild mutator pathways, **455**
rationalised specimen testing policy, A rationalised virological electron microscope specimen testing policy, **471**
reactive lymphocytosis, Reactive and neoplastic lymphocytes in human bone marrow: morphological, immunohistological, and molecular biological investigations on biopsy specimens, **521**
reactive neoplastic lesions, Focal lymphoid aggregates (nodules) in bone marrow biopsies: differentiation between benign hyperplasia and malignant lymphoma—a practical guideline, **294**
real time PCR, Rapid detection of the factor V Leiden (1691G>A) and haemochromatosis (845G>A) mutation by fluorescence resonance energy transfer (FRET) and real time PCR, **766**
αvβ3 receptor Immunohistochemical study of thrombospondin and its receptors αvβ3 and CD36 in normal thyroid and in thyroid tumours, **895**
rectal cancer, Granulocytic sarcoma of the rectum: a rare complication of myelodysplasia, **865**
rectum, Differential expression of high molecular weight caldesmon in colorectal pericryptal fibroblasts and tumour stroma, **785**
red cell enzymes, The molecular basis of disorders of red cell enzymes: *leader*, **241**
red cell membrane, The molecular basis of disorders of the red cell membrane: *leader*, **245**
renal tubular acidosis, Hypokalaemic paralysis revealing Sjögren syndrome in an elderly man, **157**
rete ovarii, Ki-67, oestrogen receptor, and progesterone receptor proteins in the human *rete ovarii* and in endometriosis, **517**
Rhodococcus equi, Infection by *Rhodococcus equi* in a patient with AIDS: histological appearance mimicking Whipple's disease and *Mycobacterium avium-intracellulare* infection, **68**
rifampicin resistance, A national audit of the laboratory diagnosis of tuberculosis and other mycobacterial diseases within the United Kingdom: *leader*, **334**
rights of possession, Rights of possession in human corpses: *letter*, **317**
Ro/SS-A antibodies, Routine immunofluorescence detection of Ro/SS-A autoantibody using HEp-2 cells transfected with human 60 kDa Ro/SS-A, **684**

S phase fraction, Short term significance of DNA ploidy and cell proliferation in breast carcinoma: a multivariate analysis of prognostic markers in a series of 308 patients, **604**
***Saccharomyces cerevisiae*,** Circulating antibodies to *Saccharomyces cerevisiae* (bakers'/brewers' yeast) in gastrointestinal disease, **47**
sarcoidosis, Cryptococcal meningitis in an HIV negative patient with systemic sarcoidosis, **928**
Scedosporium apiospermum, Cutaneous *Scedosporium apiospermum* infection in an immunocompromised patient, **846**
sclerosing lymphocytic lobulitis, HLA class II DRB1 and DQB1 allelic polymorphism and sclerosing lymphocytic lobulitis of the breast, **445**
scoring system, Comparison of different scoring systems for immunohistochemical staining, **75**
screening, Detection of drug misuse—an addictive challenge, **713**
Evaluation of the BBL Crystal MRSA ID System for detection of oxacillin resistance in *Staphylococcus aureus*, **225**
The use of the dried blood spot sample in epidemiological studies: *leader*, **633**
secondary care, Is the international normalised ratio (INR) reliable? A trial of comparative measurements in hospital laboratory and primary care settings, **494**
sentinal lymph nodes, Histopathological workup of sentinel lymph nodes: how much is enough?: *editorial*, **871**
sentinel lymph node, Protocol for ultrarapid immunostaining of frozen sections, **461**
sepsis, Diagnosis of central venous catheter related sepsis—a critical look inside: *leader*, **165**
serial sectioning, Metastases in axillary sentinel lymph nodes in breast cancer as detected by intensive histopathological work up, **922**
serrated adenoma, Clinicopathological features of serrated adenoma of the colorectum: comparison with traditional adenoma, **513**
DNA microsatellite instability in hyperplastic polyps, serrated adenomas, and mixed polyps: a mild mutator pathway for colorectal cancer?, **5**
serrated polyp, Characterisation of a subtype of colorectal cancer combining features of the suppressor and mild mutator pathways, **455**
serum markers, Serum markers in myocardial infarction: *leader*, **409**
silver, Colonisation of point of use water filters by silver resistant non-tuberculous mycobacteria: *letter*, **629**
simian virus 40, Mutations of p53 gene and SV40 sequences in asbestos associated and non-asbestos-associated mesotheliomas, **291**
single strand conformational polymorphism, Mutations of p53 gene and SV40 sequences in asbestos associated and non-asbestos-associated mesotheliomas, **291**
Sjögren syndrome, Hypokalaemic paralysis revealing Sjögren syndrome in an elderly man, **157**
Possible involvement of IL-12 expression by Epstein-Barr virus in Sjögren syndrome, **833**
Routine immunofluorescence detection of Ro/SS-A autoantibody using HEp-2 cells transfected with human 60 kDa Ro/SS-A, **684**
skin explant model, A human skin explant model for predicting graft-versus-host disease following bone marrow transplantation, **910**
small intestine, Small intestinal ulceration secondary to carcinoid tumour arising in a Meckel's diverticulum, **72**
smothering, Intra-alveolar haemorrhage in sudden infant death syndrome: a cause for concern?, **581**

soft tissue tumours, Diagnostic and prognostic implications of the unfolding molecular biology of bone and soft tissue tumours: *leader,* **481**
spectrin, Immunohistochemical identification of erythroid precursors in paraffin embedded bone marrow sections: spectrin is a superior marker to glycophorin, **919**
spermatic cord, Phaeochromocytoma of the spermatic cord, **305**
sporadic desmoid tumour, A novel case of a sporadic desmoid tumour with mutation of the β catenin gene, **695**
Staphylococcus aureus, Evaluation of the BBL Crystal MRSA ID System for detection of oxacillin resistance in *Staphylococcus aureus*, **225**
stem cells, Cell proliferation in gastrointestinal mucosa: *leader,* **321**
steroid receptors, Papillary hidradenoma: immunohistochemical analysis of steroid receptor profile with a focus on apocrine differentiation, **829**
stomach, Coexistent gastric MALT lymphoma and Kaposi sarcoma in an HIV positive patient, **313**
stromal tumour, Oesophageal mesenchymal tumours: clinicopathological features and absence of Epstein-Barr virus, **758**
stromelysins, Expression of metalloproteinases endometrial stromal sarcoma: immunohistochemical study using image analysis, **198**
subarachnoid haemorrhage, Misconceptions of the pathology of intracranial arterial aneurysms: *letter,* **708**
submandibular salivary gland, Histopathological study of the human submandibular gland in graft versus host disease, **395**
sudden death, Information before coronial necropsy: how much should be available?, **856**
Next of kin clinics: a new role for the pathologist, **723**
sudden infant death, Intra-alveolar haemorrhage in sudden infant death syndrome: a cause for concern?, **581**
sudden infant death syndrome, Intra-alveolar haemorrhage in sudden infant death syndrome: a cause for concern?: *editorial,* **553**
suicide, Postmortem prolactin as a marker of antemortem stress, **749**
sulphomucins, Sulphomucins favour adhesion of *Helicobacter pylori* to metaplastic gastric mucosa, **137**
surrogate endpoint biomarkers, Prostate cancer prevention: review of target populations, pathological biomarkers, and chemopreventive agents, **793**
Sydney classification, Interobserver variation in the histopathological scoring of *Helicobacter pylori* related gastritis, **612**
systemic lupus erythematosus, Routine immunofluorescence detection of Ro/SS-A autoantibody using HEp-2 cells transfected with human 60 kDa Ro/SS-A, **684**
systemic mastocytosis, An unusual presentation of systemic mastocytosis, **301**
systemic necrotising vasculitis, ELISA is the superior method for detecting antineutrophil cytoplasmic antibodies in the diagnosis of systemic necrotising vasculitis, **670**

T lymphocyte, Decidual T lymphocyte activation in hydatidiform mole, **888**
tailgut cyst, Adenocarcinoma arising within a tailgut cyst: clinicopathological description and follow up of an unusual case, **310**
tamoxifen, Endometrial pathology in postmenopausal tamoxifen treatment: comparison between gynaecologically symptomatic and asymptomatic breast cancer patients, **278**
Gynaecological effects of tamoxifen: *leader,* **83**
telepathology, Image sampling in static telepathology for frozen section diagnosis, **761**
telomerase, Detection of telomerase in hepatocellular carcinomas using a PCR ELISA assay: comparison with hTR expression, **725**
Telomerase expression in intracranial tumours: prognostic potential for malignant gliomas and meningiomas, **234**
telomerase activity, Telomerase activity in gestational trophoblastic disease, **588**
template, Effect of using templates on the information included in histopathology reports on specimens of uterine cervix taken by loop excision of the transformation zone, **825**
β thalassaemia, An analysis of relative costs and potential benefits of different policies for antenatal screening for β thalassaemia trait and variant haemoglobins, **697**
thrombolysis, Serum markers in myocardial infarction: *leader,* **409**
thrombospondin, Immunohistochemical study of thrombospondin and its receptors αvβ3 and CD36 in normal thyroid and in thyroid tumours, **895**
thymidine phosphorylase, Thymidine phosphorylase expression in progression of cervical cancer: correlation with microvessel count, proliferating cell nuclear antigen, and apoptosis, **598**
thyroid neoplasms, Immunohistochemical study of thrombospondin and its receptors αvβ3 and CD36 in normal thyroid and in thyroid tumours, **895**
thyroid tumours, Measurement of vascularity as a diagnostic and prognostic tool for well differentiated thyroid tumours: comparison of different methods of assessing vascularity, **593**
time resolved fluoroscopic immunoassay, The species specificity of the microimmunofluorescence antibody test and comparisons with a time resolved fluoroscopic immunoassay for measuring IgG antibodies against *Chlamydia pneumoniae*, **99**
tissue banks, Tissue banks in NHS histopathology laboratories and the Consensus Statement: *letter,* **708**
tissue factor, Development and validation of an assay for urinary tissue factor activity, **219**
tissue transglutaminase, IgA anti-tissue transglutaminase as a diagnostic marker of gluten sensitive enteropathy, **274**
Toxoplasma gondii, Misdiagnosis of toxoplasma infection by PCR: fears unfounded, **468**
Quantitation of *Toxoplasma gondii* DNA in a competitive nested polymerase chain reaction, **61**
transfusion transmissible infections, The risks of infection transmission by blood transfusion in England: *leader,* **405**
transmission, Age related prevalence of hepatitis G virus in South Africans, **752**
TRAP, Telomerase expression in intracranial tumours: prognostic potential for malignant gliomas and meningiomas, **234**
trephine biopsies, Focal lymphoid aggregates (nodules) in bone marrow biopsies: differentiation between benign hyperplasia and malignant lymphoma—a practical guideline, **294**
trephine biopsy, Trained nurses can obtain satisfactory bone marrow aspirates and trephine biopsies, **154**
tropism, Detection of human herpesviruses 6 and 7 genomic sequences in brain tumours, **620**
tryptase, *Helicobacter pylori* non-cytotoxic genotype enhances mucosal gastrin and mast cell tryptase, **210**
tuberculosis, PCR to detect *M tuberculosis: letter,* **399**
tumour markers, Microsatellite abnormalities in plasma of patients with breast carcinoma: concordance with the primary tumour, **363**
tumour metastasis, Intraglomerular metastasis: a necropsy study, **307**

ulcer, Small intestinal ulceration secondary to carcinoid tumour arising in a Meckel's diverticulum, **72**
uranyl nitrate, Modified Genta triple stain for identifying *Helicobacter pylori*, **693**
urinary procoagulant, Development and validation of an assay for urinary tissue factor activity, **219**
urine culture, The effect of specimen processing delay on borate urine preservation, **95**
urine storage, The effect of specimen processing delay on borate urine preservation, **95**
uterine polyp, Polypoid uterine lesions mimicking endometrial stromal sarcoma, **543**

VacA gene, Antibody against *Helicobacter pylori* CagA and VacA and the risk for gastric cancer, **215**
vaginal discharge, Laboratory diagnosis of vaginal discharge (ACP Broadsheet No 153): *letter,* **629**
vascular basement membrane, Colonic angiodysplasia: *letter,* **237**
vascular endothelial growth factor, Vascular endothelial growth factor mRNA expression in minimal change, membranous, and diabetic nephropathy demonstrated by non-isotopic in situ hybridisation, **735**
vascular permeability factor, Vascular endothelial growth factor mRNA expression in minimal change, membranous, and diabetic nephropathy demonstrated by non-isotopic in situ hybridisation, **735**
vascularity, Measurement of vascularity as a diagnostic and prognostic tool for well differentiated thyroid tumours: comparison of different methods of assessing vascularity, **593**
vasculitis, Systemic vasculitis and aneurysm formation in the Wiskott-Aldrich syndrome, **390**
vegetative state, The neuropathology of the vegetative state after head injury, **804**
venous catheters, Diagnosis of central venous catheter related sepsis—a critical look inside: *leader,* **165**
venting device, Cross contamination of blood cultures associated with a multiple use venting device, **231**
villous atrophy, The pattern of involvement of the gastric mucosa in lymphocytic gastritis is predictive of the presence of duodenal pathology, **815**
virD4, Modulation of *Helicobacter pylori* induced interleukin-8 synthesis in gastric epithelial cells mediated by cag PAI encoded VirD4 homologue, **653**
virology, A rationalised virological electron microscope specimen testing policy, **471**
virulence factors, Antibody against *Helicobacter pylori* CagA and VacA and the risk for gastric cancer, **215**
virus quantification assay, Clinical application of the Quantiplex HCV RNA 2.0 and Amplicor HCV Monitor assays for quantifying serum hepatitis C virus RNA, **807**
viruses, Recent advances in antiviral therapy: *leader,* **89**
vitamin D_3 receptor, Vitamin D receptor expression in colorectal cancer, **181**
vulva, Extension of extramammary Paget disease of the vulva to the cervix, **538**
vulvar intraepithelial neoplasia, The contribution of MIB 1 in the accurate grading of vulvar intraepithelial neoplasia, **820**

Weddellite, Calcium oxalate crystals (Weddellite) within the secretions of ductal carcinoma in situ—a rare phenomenon, **145**
Calcium oxalate (Weddellite) crystals within ductal carcinoma in situ: *letter*, **932**
Wiskott-Aldrich syndrome, Systemic vasculitis and aneurysm formation in the Wiskott-Aldrich syndrome, **390**
workload, KU activity: *letter*, **78**
Workload measurement in histopathology: *letter*, **398**

yeast, Circulating antibodies to *Saccharomyces cerevisiae* (bakers'/brewers' yeast) in gastrointestinal disease, **47**
yeasts, Comparative study of seven commercial yeast identification systems, **271**